MOTOR CONTROLLER/STARTER/VFD SCHEDULE

	LOCATION			EQUIPMENT DATA				STARTER		DISCONNECT SWITCH				
LABEL	NUMBER	NAME	EQUIPMENT SERVED	VOLTAGE	PHASE	HP	FLA	TYPE	NEMA SIZE	TYPE	FUSE SIZE	NEMA ENCL	REMOTE CAPACITOR	REMARKS
MS-A1	BM100	ELEC	CP-1	208 V	3	1	4.8 A	FVNR	1	FUSIBLE	8	1	-	
MS-A2	BM100	ELEC	CP-2	208 V	3	3	11.0 A	FVNR	1	FUSIBLE	17.5	1	-	
MS-A3	A101G	STOR	EF-2	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-B1	B125	CUST	EF-1	480 V	3	3	4.8 A	FVNR	1	FUSIBLE	8	1	-	
MS-B2	B217A-1	SCIENCE PREP-1	EF-6	120 V	1	1/3	7.2 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-B3	B217A-2	SCIENCE PREP-2	EF-3	120 V	1	1/3	7.2 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-B4	B217A-2	SCIENCE PREP-2	EF-4	120 V	1	1/3	7.2 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-B5	B217A-2	SCIENCE PREP-2	EF-5	120 V	1	1/3	7.2 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-B6	BM312A	ELEC	CP-3	208 V	3	1	4.8 A	FVNR	1	FUSIBLE	8	1	-	
MS-B7	BM312A	ELEC	CP-4	208 V	3	1	4.8 A	FVNR	1	FUSIBLE	8	1	-	
MS-C1	BM100	ELEC	EF-C1	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D1	CM221	MECH	AHU-C1 SF #1	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D2	CM221	MECH	AHU-C1 SF #2	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D3	CM221	MECH	AHU-C1 RF #1	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D4	CM221	MECH	AHU-C1 RF #2	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D5	CM221	MECH	AHU-C2 RF #1	480 V	3	5	8.2 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D6	CM221	MECH	AHU-C2 RF #2	480 V	3	5	8.2 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D7	CM221	MECH	AHU-C2 SF #1	480 V	3	5	8.2 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D8	CM221	MECH	AHU-C2 SF #2	480 V	3	5	8.2 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D9	CM207	MECH	AHU-D1 SF #1	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D10	CM207	MECH	AHU-D1 SF #2	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D11	CM207	MECH	AHU-D2 SF #1	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D12	CM207	MECH	AHU-D2 SF #2	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D13			AHU-D4 SF #1	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D14			AHU-D4 SF #2	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D15	CM219	MECH	AHU-E7 SF #1	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D16	CM207	MECH	AHU-D3 SF#1	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D17	CM207	MECH	AHU-D3 SF#2	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D18	CM207	MECH	AHU-D3 SF#3	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D19	CM207	MECH	AHU-D3 SF#4	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D20	CM221	MECH	AHU-C3 SF #1	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D21	CM221	MECH	AHU-C3 SF #2	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D22	CM221	MECH	AHU-C3 RF #1	480 V	3	1-1/2	3.4 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D23	CM221	MECH	AHU-C3 RF #2	480 V	3	1-1/2	3.4 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-D24	CM221	MECH	CP-AHU-D4	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D25	CM221	MECH	CP-AHU-C2	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D26	CM221	MECH	CP-AHU-C3	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D27	CM219	MECH	CP-AHU-E7	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D28	CM207	MECH	CP-AHU-D1	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D29	CM207	MECH	CP-AHU-D2	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D30	CM207	MECH	CP-AHU-D3	120 V	1	1/3	7.2 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D31	C108	CUST	EF-F2	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D32	DM105	ELEC	EF-D2	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D33	D109	CUST	EF-D3	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-D34	CM221	MECH	CP-AHU-C1	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-E1	CM207	MECH	AHU-E4 SF #1	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E2	CM207	MECH	AHU-E4 SF #2	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E3	CM214-2	MECH-2	AHU-E6 SF #1	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E5	CM214-2	MECH-2	AHU-E6 RF #1	480 V	3	1	2.1 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E8	CM214-2	MECH-2	AHU-E5 SF #1	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E9	CM214-2	MECH-2	AHU-E5 RF #1	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E10	CM207	MECH	AHU-E3 SF #2	480 V	3	20	27.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E11	CM207	MECH	AHU-E3 SF #1	480 V	3	20	27.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E12	CM214-2	MECH-2	AHU-E5 SF #2	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E13	CM214-2	MECH-2	AHU-E5 RF #2	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-E14	CM214-2	MECH-2	CP-AHU-E5	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-E15	CM214-2	MECH-2	CP-AHU-E6	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-E16	CM207	MECH	CP-AHU-E3	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-E17	CM207	MECH	CP-AHU-E4	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-E18	G106A	STOR	EF-E1	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-E18	C108	CUST	EF-EC	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-E19	G106A	STOR	EF-E3	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F1			AHU-F4 SF #1	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F2			AHU-F4 SF #2	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F3			AHU-F4 RF #1	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F4			AHU-F4 RF #2	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F5			AHU-F2 SF #1	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F6			AHU-F2 SF #2	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F7			AHU-E2 SF #1	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F8			AHU-E2 SF #2	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F9			AHU-E2 RF #1	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F10			AHU-E2 RF #2	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F11			AHU-E1 SF #1	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F12			AHU-E1 SF #2	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F13			AHU-E1 RF #1	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F14			AHU-E1 RF #2	480 V	3	3	4.8 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F15			AHU-F3 SF #1	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F16			AHU-F3 SF #2	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F17	EM214	MECH	AHU-F1 SF #1	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F18			CP-AHU-E1	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F19	EM214	MECH	AHU-F1 SF #2	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F20			CP-AHU-E2	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F21	EM214	MECH	AHU-F1 RF #1	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F22			CP-AHU-F2	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F23	EM214	MECH	AHU-F1 RF #2	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-F24			CP-AHU-F3	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F25	EM214	MECH	CP-AHU-F1	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F26	E104AA	Space	EF-F8	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F27	ER104	RR	EF-F9	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F28	H104A	STOR	EF-F10	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F29	H101A	STOR	EF-F6	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F30	H104A	STOR	EF-F7	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F31	H104A	STOR	EF-F13	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F32	H103B	STOR	EF-F5	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F33	H103B	STOR	EF-F2	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F34	H103B	STOR	EF-KILN-1	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F35	H103B	STOR	EF-KILN-2	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F36	H105A	STOR	EF-F4	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F37	H107A	STOR	EF-F3	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F38	H109A	STOR	EF-F1	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F39	E109B	STOR	EF-F12	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F40	E109B	STOR	EF-F11	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F41			CP-AHU-F4	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-F42	E108E	CUST	EF-F14	120 V	1	1/4	5.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G1	L216A	MECH	AHU-G2 RF #1	480 V	3	1-1/2	3.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-G2	L216A	MECH	AHU-G2 RF #2	480 V	3	1-1/2	3.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-G3	L216A	MECH	AHU-G2 SF #1	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-G4	L216A	MECH	AHU-G2 SF #2	480 V	3	5	7.6 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-G5	L216A	MECH	AHU-G1 SF #1	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-G6	L216A	MECH	CP-AHU-G1	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G7	L216A	MECH	CP-AHU-M1	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G8	L216A	MECH	CP-AHU-N3	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G9	L216A	MECH	CP-AHU-N2	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G10	L216A	MECH	CP-AHU-N2	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G11	L216A	MECH	CP-AHU-G2	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G12	L216A	MECH	EF-G1	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G13	L216A	MECH	EF-G4	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G14	L216A	MECH	EF-G5	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G15	L216A	MECH	EF-G2	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-G16	L216A	MECH	EF-G3	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-H1			AHU-H1 SF #1	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-H3			AHU-H2 SF #1	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-H4			AHU-H2 SF #2	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-H5			AHU-H3 SF #1	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-H6			AHU-H3 SF #2	480 V	3	10	14.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-H7			AHU-H4 SF #1	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-H8			AHU-H4 SF #2	480 V	3	7.5	11.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-H9			CP-AHU-H3	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-H10			CP-AHU-H1	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-H11			CP-AHU-H2	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-H12			CP-AHU-H4	120 V	1	3/4	13.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-J1	NM107	MECH	CHP-1	480 V	3	50	65.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J2	NM107	MECH	CHP-2	480 V	3	50	65.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J3	NM107	MECH	CHP-3	480 V	3	50	65.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J4	NM105	MECH	SCWP-1	480 V	3	100	124.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J5	NM105	MECH	SCWP-2	480 V	3	100	124.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J6	NM105	MECH	SCWP-3	480 V	3	100	124.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J7	NM105	MECH	HHWP-3	480 V	3	100	124.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J8	NM105	MECH	HHWP-2	480 V	3	100	124.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J9	NM105	MECH	HHWP-1	480 V	3	100	124.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J10	NM105	MECH	PCWP-3	480 V	3	25	34.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J11	NM105	MECH	PCWP-2	480 V	3	25	34.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J12	NM105	MECH	PCWP-1	480 V	3	25	34.0 A	VFD	-	-	-	-	-	FURNISHED BY DIVISION 23, INSTALLED BY DIVISION 26
MS-J13	2730	Space	CP-5	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-J14	NM105	MECH	HWCP-3	120 V	1	1/2	9.8 A	-	-	-	-	-	-	FRACTIONAL HORSEPOWER RATED TOGGLE SWITCH WITH THERMAL OVERLOADS
MS-J15	NM105	MECH	HWCP-2	480 V	3	2	3.4 A	FVNR	-	-	-	1	-	
MS-J16	NM105	MECH	HWCP-1	480 V	3	2	3.4 A	FVNR	-	-	-	1	-	

AUTOMATIC TRANSFER SWITCH SCHEDULE

	LOCATION								
LABEL	NUMBER	NAME	VOLTAGE	AMPS	PHASE	WIRE	AIC RATING	LOAD SERVED	REMARKS
ATS-EQ	NM111	ELEC	480Y/277	400 A	3	4	42,000 A	14JEQDP1	SOLID NEUTRAL BAR
ATS-LS	NM111	ELEC	480Y/277	260 A	3	4	42,000 A	14JLSDP1	SOLID NEUTRAL BAR

TRANSFORMER SCHEDULE

	LOCATION				VOLTAGE		CONNECTION				
LABEL	NUMBER	NAME	KVA	PHASE	PRIMARY	SECONDARY	PRIMARY	SECONDARY	MOUNT	TYPE	LOAD(S) SERVED
T-A1	BM100	ELEC	225	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	12ADP1
T-B1	BM120A	ELEC	300	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	12BSB1
T-DEQ1	DM105	ELEC	45	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	12DEQ1
T-DLS1	DM105	ELEC	75	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	12DLS1
T-F1	EM105	ELEC	500	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	12FSB1
T-FLS1	EM105	ELEC	30	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	12FLS1
T-GLS1	L216A	MECH	30	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	22GLS1
T-JEQ1	NM111	ELEC	45	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	12JEQ1
T-LD1	NM109	ELEC	300	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	LD1
T-LD2	JM107	ELEC	500	3	480 V	208Y/120 V	DELTA	WYE	FLOOR	DRY	LD2

DISCONNECT SWITCH SCHEDULE

	LOCATION								
LABEL	NUMBER	NAME	EQUIPMENT SERVED	VOLTAGE	AMPERAGE	POLES	FUSED	FUSE SIZE	NE