

ADDENDUM NO. 02

August 10, 2026

Oak Hill United School Corporation – Multi-School MEP Improvements
405 South Washington St, Swayzee, IN 46986
7760 Delphi Pike, Converse, IN 46919
600 Walnut St, Converse, IN 46919

TO: ALL BIDDERS OF RECORD

This Addendum forms a part of and modifies the Bidding Requirements, Contract Forms, Contract Conditions, the Specifications and the Drawings dated July 20, 2026, by Gibraltar Design. Acknowledge receipt of the Addendum in the space provided on the Bid Form. Failure to do so may subject the Bidder to disqualification.

This Addendum consists of Pages ADD 2-1 through ADD 2-1 and attached Gibraltar Design Addendum No. 02 dated August 7, 2026, consisting of three (3) pages and thirty (30) drawings.

A. SPECIFICATION SECTION 01 12 00 – MULTIPLE CONTRACT SUMMARY

1. Paragraph 3.03 Bid Categories

A. BID CATEGORY NO. 1 – GENERAL TRADES

Add the following Clarification

2. Thermally Broken Frames: Aluminum framing system equal to Kawneer VersaGlaze 601T framing system, nominal 2 inches wide by 6 inches deep, front pane glazing; as approved by the Architect.



ADDENDUM TWO

Addendum Two (AD.02) to the drawings and specifications prepared by Gibraltar Design for **Mechanical Improvements Across Three Schools** for Oak Hill United School Corporation Converse, Indiana.

All Contractors bidding on this project shall read all of the items covered below and shall comply with all of the requirements as set forth, including any necessary refinements or additions generated by this Addendum and required by the intent of the original contract documents. All Contractors shall acknowledge on their bid form that they have received this Addendum and include the appropriate content of same within their bid proposal.

SPECIFICATIONS

1. Specification Section 08 41 00

Aluminum Entrances and Storefront

A. Revise the following paragraph 2.3.A.:

1. Thermally Broken Frames: Aluminum framing system equal to Kawneer VersaGlaze 601T framing system, nominal 2 inches wide by 6 inches deep, front pane glazing; as approved by the Architect.

DRAWINGS

CONVERSE ELEMENTARY SCHOOL

2. Sheet A-310

A. Refer to revised, full-size drawings, included in this Addendum, for revisions.

3. Sheets A-902 and A-903

A. Refer to Two (2) revised, full-size drawings, included in this Addendum, for revisions.

4. Sheet E-001

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Added Occupancy Sensor Wiring Diagram.

5. Sheet ED103

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Revised occupancy sensor layout.

6. Sheet EL101

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Add Sheet Note #2.
2. Added occupancy sensors.



7. Sheet EL102

- A. Refer to revised, full-size drawing, included in this Addendum, for revisions.
 - 1. Added Sheet Note #2.
 - 2. Added and revised occupancy sensors and occupancy sensor layout.

8. Sheet EL103

- A. Refer to revised, full-size drawing, included in this Addendum, for revisions.
 - 1. Added Sheet Note #2.
 - 2. Added and revised occupancy sensors and occupancy sensor layout.
 - 3. Revised occupancy sensor phasing.

SWAYZEE ELEMENTARY SCHOOL

1. Sheet AD-101

- A. Refer to revised, full-size drawing included in this Addendum, for revisions.

2. Sheets A-101, A-102, A-103

- A. Refer to Three (3) revised, full-size drawings, included in this Addendum, for revisions.

3. Sheet A-310

- A. Refer to revised, full-size drawings, included in this Addendum, for revisions.

4. Sheet A-501

- A. Refer to revised, full-size drawings, included in this Addendum, for revisions.

5. Sheets A-802 and A-803

- A. Refer to Two (2) revised, full-size drawings, included in this Addendum, for revisions.

OAK HILL JUNIOR HIGH SCHOOL

1. Sheets AD101 and AD102

- A. Refer to Two (2) revised, full-size drawings, included in this Addendum, for revisions.

2. Sheets A-101 and A-102

- A. Refer to Two (2) revised, full-size drawings, included in this Addendum, for revisions.

3. Sheet A-310

- A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

4. Sheet A-501

- A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

5. Sheet A-801

- A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

6. Sheets A-901 and A-902

A. Refer to Two (2) revised, full-size drawings, included in this Addendum, for revisions.

7. Sheet M-101

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Removed supply air ductwork distribution and associated supply diffuser in Mechanical A-120.
2. Added side-wall supply air diffuser in Mechanical A-120.
3. Modified the louver size and mounting height at exterior wall in Maintenance A-122.
4. Removed the louver blank-off note.

8. Sheet E-001

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Added Occupancy Sensor Wiring Diagram.

9. Sheet ED102

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Revised occupancy sensor phasing.

10. Sheet EL101

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Added Sheet Note #2.
2. Added and revised occupancy sensors and occupancy sensor layout.










11. Sheet EL102

A. Refer to revised, full-size drawing, included in this Addendum, for revisions.

1. Added Sheet Note #2.
2. Added and revised occupancy sensors and occupancy sensor layout.

Pages 1 through 3, inclusive, and Thirty (30) Full-Size Drawings, constitute the total makeup of **Addendum Two**.





UNIT A - WEST
1 A-310 1/8" = 1'-0"

GENERAL ELEVATION NOTES:

- A. REFER TO FLOOR PLANS FOR EXTERIOR WALL SECTIONS CUTS, UNLESS INDICATED OTHERWISE.
- B. FINISH GRADE INDICATES ON ELEVATIONS ARE FOR DRAWING PURPOSES ONLY. COORDINATE STEPPED FLASHING WITH ACTUAL GRADES FOR CELL VENTS TO BE ABOVE GRADE.
- C. STEP BRICK LEDGE DOWN FOR LEDGE TO BE BELOW GRADE OR CONCRETE WALK.

ELEVATION NOTES:

- (ALL ELEVATION NOTES MAY NOT BE INDICATED ON THIS SHEET)
1. APPROXIMATE FINISH GRADE.
 2. ALUMINUM LOUVER. REFER TO MECHANICAL DRAWINGS.
 3. LIMESTONE PANEL. SEE 7/A-501
 4. LIMESTONE HEADER. EXTEND 8" BEYOND LOUVER BOTH SIDES. SEE 8/A-501
 5. NEW STOREFRONT ASSEMBLY WITH MECHANICAL LOUVER. SEE 3/A-501
 6. RAKE EXISTING CONTROL JOINT AND RE-CAULK AND SEAL.
 7. NEW CONDENSATE LINE ROUTE THROUGH Limestone PANEL JOINTS ONLY OR EDGES ONLY.
 8. UNIT VENT CONDENSATE LINE ROUTE THROUGH Limestone PANEL JOINTS ONLY OR EDGES ONLY.
 - E1. EXISTING WINDOW SYSTEM TO REMAIN.
 - E2. EXISTING FACE BRICK TO REMAIN.
 - E3. EXISTING LIMESTONE BAND TO REMAIN.
 - E4. EXISTING FASCIA / COPING TO REMAIN.

AD-02




GIBRALTAR
DESIGN

ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:

**CONVERSE ES -
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION
600 WALNUT ST.,
CONVERSE, IN, 46919



KEY PLAN

100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT

25-173

DATE

07/20/26

COORDINATED BY

Designer

DRAWN BY

Author

CHECKED BY

Checker

COPYRIGHT NOTICE:

THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR THE PROJECT. NO PART OF THIS DOCUMENT SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK DATE

AD-01 07/31/26

AD-02 08/07/26

ISSUED FOR

ADDENDUM 01

ADDENDUM 02


DRAWING
EXTERIOR ELEVATIONS

PROJECT
CONVERSE ES - MECHANICAL
IMPROVEMENTS

GIBRALTAR
DESIGN

SHEET

A-310



UNIT A - TYPICAL LOUVER INFILL ELEVATION

10 A-310 3/4" = 1'-0"

REFLECTED CEILING PLAN NOTES:

(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

- 1 NEW VLV WITH METAL SHROUD FROM TOP OF UNIT TO CEILING. REFER TO MECHANICAL DRAWINGS.
- 2 NEW CEILING GRID AND PADS. EXISTING CEILING DEVICES TO REMAIN.
- 3 GYPSUM BOARD BULKHEAD.
- 4 RELOCATE EXISTING LIGHT FIXTURES TO AVOID CONFLICT WITH NEW BULKHEADS. REFER TO ELECTRICAL.
- 5 STOP BULKHEAD AT WINDOW JAMB.
- 6 EXISTING FOLDING PARTITION TRACK TO REMAIN. STOP NEW BULKHEADS BEFORE TRACK TO ALLOW ENOUGH CLEARANCE FOR PARTITION TO FULLY CLOSE.
- 7 EXISTING BULKHEAD TO REMAIN.
- 8 EXISTING LIGHTS ARE SUPPORTED BY CEILING GRID. PROVIDE NEW SAFETY CABLE SUPPORTS FOR ALL LIGHT FIXTURES IN THIS SPACE.
- 9 IF THIS ROW OF LIGHTS IS TOO CLOSE AND IN CONFLICT WITH NEW BULKHEAD, RELOCATE ENTIRE ROW 2'-0" NORTH TO AVOID CONFLICT. FIELD VERIFY EXACT LOCATION OF EXISTING FIXTURES.
- 10 VLV FALSE BACK PANEL.
- 13 RUN NEW GRID AND TILES OVER TOP OF EXISTING WALL CABINETS TO MATCH EXISTING CONDITIONS.
- 14 REINSTALL ALL EXISTING CEILING FITURES IN NEW CEILING AT THE SAME LOCATION AS EXISTING. INCLUDING BUT NOT LIMITED TO SPEAKERS, WIRELESS ACCESS POINTS, AND PROJECTORS. REMOVE ANY ABANDONED OR DEFUNCT SPEAKERS AND TURN OVER TO OWNER. FIELD VERIFY EXACT LOCATIONS AND QUANTITIES.
- 15 RELOCATE EXISTING CEILING MOUNTED PROJECTOR. COORDINATE EXACT LOCATION WITH OWNER.

AD-02

GENERAL SHEET REVISIONS

ADDED OCCUPANCY SENSORS. REFER ALSO TO ELECTRICAL SHEETS

GENERAL REFLECTED CEILING NOTES:


- A. FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO SHEET G-201.
- B. THE ARCHITECTURAL REFLECTED CEILING PLANS GOVERN THE LAYOUT OF ALL CEILING ELEMENTS AND PENETRATIONS.
- C. BULKHEAD FRAMING SHALL BE ATTACHED TO STRUCTURAL SUPPORTS AND NOT THE ROOF DECK.
- D. REFER TO FLOOR PLANS FOR WALL TYPES.
- E. CEILING ACCESS PANELS INDICATED ARE NOT INTENDED TO LIMIT NUMBER OF PANELS REQUIRED. PANEL QUANTITY SHALL BE SUFFICIENT TO PROVIDE REQUIRED ACCESS WHETHER OR NOT INDICATED ON THE DRAWINGS. VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO STARTING WORK.
- F. REFER TO ELECTRICAL DRAWINGS FOR LIGHT FIXTURE TYPE AND QUANTITIES.
- G. EXISTING CEILING EQUIPMENT AND FIXTURES AS INDICATED ARE APPROXIMATE LOCATIONS. ALL ITEMS MAY NOT BE INDICATED ON THIS SHEET. FIELD VERIFY PLACEMENT OF ALL CEILING EQUIPMENT TO REMAIN.
- H. REFER TO MECHANICAL DRAWINGS FOR DIFFUSERS, GRILL TYPES AND QUANTITIES - ALL MECHANICAL ITEMS MAY NOT BE INDICATED ON THIS SHEET.
- I. REFER TO FINISH PLANS AND INTERIOR ELEVATIONS FOR PAINT COLORS.

CEILING LEGEND

- | | | | |
|--|---|--|---|
| | ACT-1 | | LIGHT FIXTURE. REFER TO ELECTRICAL |
| | GWP - GYPSUM BOARD CEILING OR BULKHEAD. REFER TO TYPICAL BULKHEAD DETAILS AND WALL SECTIONS | | SUPPLY AIR DIFFUSER. REFER TO MECHANICAL |
| | INDICATES AREAS WHERE NO ARCHITECTURAL WORK IS TO OCCUR. | | RETURN / RELIEF REGISTER. REFER TO MECHANICAL |
| | | | NEW OCCUPANCY SENSOR. REFER TO ELECTRICAL |
| | | | CEILING SPEAKER |
| | | | CEILING VIDEO PROJECTOR |


PLAN LEGEND:

- INDICATES AREAS WHERE NO ARCHITECTURAL WORK IS TO OCCUR.
- INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL (IF APPLICABLE)
- INDICATES CASEWORK ELEVATION SYMBOL. REFER TO A-730 SERIES DRAWINGS FOR ELEVATIONS AND DETAILS.



UNIT "B" FIRST FLOOR REFLECTED CEILING PLAN

1 A-902 1/8" = 1'-0"



GIBALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:

**CONVERSE ES -
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION

600 WALNUT ST,
CONVERSE, IN, 46919



KEY PLAN

100% CONSTRUCTION
DOCUMENTS

GIBALTAR DESIGN

4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT

25-173

DATE

07/20/26

COORDINATED BY

Designer

DRAWN BY

Author

CHECKED BY

Checker

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK DATE

AD-02 08/07/26

ISSUED FOR

ADDENDUM 02

DRAWING

UNIT "B" FIRST FLOOR

REFLECTED CEILING PLAN

PROJECT

CONVERSE ES - MECHANICAL

IMPROVEMENTS

© GIBALTAR
DESIGN

SHEET

A-902

REFLECTED CEILING PLAN NOTES:

(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

- 1 NEW VLV WITH METAL SHROUD FROM TOP OF UNIT TO CEILING. REFER TO MECHANICAL DRAWINGS.
- 2 NEW CEILING GRID AND PADS. EXISTING CEILING DEVICES TO REMAIN.
- 3 GYPSUM BOARD BULKHEAD.
- 4 RELOCATE EXISTING LIGHT FIXTURES TO AVOID CONFLICT WITH NEW BULKHEADS. REFER TO ELECTRICAL.
- 5 STOP BULKHEAD AT WINDOW JAMB.
- 6 EXISTING FOLDING PARTITION TRACK TO REMAIN. STOP NEW BULKHEADS BEFORE TRACK TO ALLOW ENOUGH CLEARANCE FOR PARTITION TO FULLY CLOSE.
- 7 EXISTING BULKHEAD TO REMAIN.
- 8 EXISTING LIGHTS ARE SUPPORTED BY CEILING GRID. PROVIDE NEW SAFETY CABLE SUPPORTS FOR ALL LIGHT FIXTURES IN THIS SPACE.
- 9 IF THIS ROW OF LIGHTS IS TOO CLOSE AND IN CONFLICT WITH NEW BULKHEAD, RELOCATE ENTIRE ROW 2'-0" NORTH TO AVOID CONFLICT. FIELD VERIFY EXACT LOCATION OF EXISTING FIXTURES.
- 10 VLV FALSE BACK PANEL.
- 11 RUN NEW GRID AND TILES OVER TOP OF EXISTING WALL CABINETS TO MATCH EXISTING CONDITIONS.
- 12 REINSTALL ALL EXISTING CEILING FITURES IN NEW CEILING AT THE SAME LOCATION AS EXISTING. INCLUDING BUT NOT LIMITED TO SPEAKERS, WIRELESS ACCESS POINTS, AND PROJECTORS. REMOVE ANY ABANDONED OR DEFUNCT SPEAKERS AND TURN OVER TO OWNER. FIELD VERIFY EXACT LOCATIONS AND QUANTITIES.
- 13 RELOCATE EXISTING CEILING MOUNTED PROJECTOR. COORDINATE EXACT LOCATION WITH OWNER.

GENERAL REFLECTED CEILING NOTES:


- A. FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO SHEET G-201.
- B. THE ARCHITECTURAL REFLECTED CEILING PLANS GOVERN THE LAYOUT OF ALL CEILING ELEMENTS AND PENETRATIONS.
- C. BULKHEAD FRAMING SHALL BE ATTACHED TO STRUCTURAL SUPPORTS AND NOT THE ROOF DECK.
- D. REFER TO FLOOR PLANS FOR WALL TYPES.
- E. CEILING ACCESS PANELS INDICATED ARE NOT INTENDED TO LIMIT NUMBER OF PANELS REQUIRED. PANEL QUANTITY SHALL BE SUFFICIENT TO PROVIDE REQUIRED ACCESS WHETHER OR NOT INDICATED ON THE DRAWINGS. VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO STARTING WORK.
- F. REFER TO ELECTRICAL DRAWINGS FOR LIGHT FIXTURE TYPE AND QUANTITIES.
- G. EXISTING CEILING EQUIPMENT AND FIXTURES AS INDICATED ARE APPROXIMATE LOCATIONS. ALL ITEMS MAY NOT BE INDICATED ON THIS SHEET. FIELD VERIFY PLACEMENT OF ALL CEILING EQUIPMENT TO REMAIN.
- H. REFER TO MECHANICAL DRAWINGS FOR DIFFUSERS, GRILL TYPES AND QUANTITIES - ALL MECHANICAL ITEMS MAY NOT BE INDICATED ON THIS SHEET.
- I. REFER TO FINISH PLANS AND INTERIOR ELEVATIONS FOR PAINT COLORS.

CEILING LEGEND


- | | | | |
|--|---|--|---|
| | ACT-1 | | LIGHT FIXTURE. REFER TO ELECTRICAL |
| | GWP - GYPSUM BOARD CEILING OR BULKHEAD. REFER TO TYPICAL BULKHEAD DETAILS AND WALL SECTIONS | | SUPPLY AIR DIFFUSER. REFER TO MECHANICAL |
| | INDICATES AREAS WHERE NO WORK IS TO OCCUR | | RETURN / RELIEF REGISTER. REFER TO MECHANICAL |
| | INDICATES AREAS WHERE NO ARCHITECTURAL WORK IS TO OCCUR. | | NEW OCCUPANCY SENSOR. REFER TO ELECTRICAL |
| | INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL (IF APPLICABLE) | | CEILING SPEAKER |
| | INDICATES CASEWORK ELEVATION SYMBOL. REFER TO A-730 SERIES DRAWINGS FOR ELEVATIONS AND DETAILS. | | CEILING VIDEO PROJECTOR |

GENERAL SHEET REVISIONS

ADDED OCCUPANCY SENSORS. REFER ALSO TO ELECTRICAL SHEETS



PROJECT:
CONVERSE ES - MECHANICAL IMPROVEMENTS
OAK HILL UNITED SCHOOL CORPORATION
600 WALNUT ST.,
CONVERSE, IN, 46919



KEY PLAN

100% CONSTRUCTION DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT 25-173
DATE 07/20/26
COORDINATED BY Designer
DRAWN BY Author
CHECKED BY Checker


COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NO PART OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

MARK	DATE	ISSUED FOR
AD-02	08/07/26	ADDENDUM 02

DRAWING
UNIT "C" FIRST FLOOR REFLECTED CEILING PLAN


PROJECT
CONVERSE ES - MECHANICAL IMPROVEMENTS

© GIBRALTAR DESIGN
SHEET
A-903



1
ED103/ 1/8" = 1'-0"

UNIT "C" FIRST FLOOR ELECTRICAL DEMOLITION PLAN



SHEET NOTES

1. REMOVE EXISTING MECHANICAL EQUIPMENT ELECTRICAL CONNECTION AND ALL ASSOCIATED WIRING AND EXPOSED CONDUIT BACK TO SOURCE. GRIND ANY CONDUIT LEFT WITHIN THE FLOOR BELOW THE FLOOR LINE, INFILL WITH CONCRETE, AND FINISH FLUSH WITH FLOOR, COMPLETE AS REQUIRED. ALL WIRING SHALL BE REMOVED. LABEL EXISTING CIRCUIT BREAKER FOR USE WITH NEW EQUIPMENT IN THIS SPACE. REFER TO THE NEW POWER PLANS FOR ADDITIONAL INFORMATION.
2. REMOVE AND REINSTALL EXISTING LIGHTING, PROJECTORS, WIRELESS TERMINALS, OCCUPANCY SENSORS, AND OTHER CEILING MOUNTED DEVICES IN THIS SPACE AS REQUIRED FOR THE INSTALLATION OF THE NEW DUCTWORK, GRILLES, AND BULKHEAD. DEVICE LOCATIONS ARE DIAGRAMMATIC. VERIFY EXACT LOCATION IN FIELD. THE EXISTING LIGHTING LAYOUT SHALL BE MODIFIED AS REQUIRED FOR THE NEW BULKHEAD. COORDINATE LIGHTING LOCATIONS WITH NEW GRILLES IN FIELD, COMPLETE AS REQUIRED.
3. EXISTING MECHANICAL EQUIPMENT TO REMAIN.
4. IN THIS SPACE, REMOVE ALL EXISTING LIGHT FIXTURE ELECTRICAL CONNECTIONS INCLUDING ALL ASSOCIATED CONDUIT AND WIRING BACK TO NEAREST JUNCTION BOX. EXTEND NEW #12 WIRING IN 3/4" FMC FROM EXISTING JUNCTION BOX TO ALL EXISTING LIGHT FIXTURES AND CONNECT, COMPLETE AS REQUIRED. MAXIMUM FMC LENGTH IS 6'. PROVIDE NEW 3/4" EMT AS REQUIRED FOR LENGTHS EXCEEDING 6'.
5. ALL FIXTURES IN THIS SPACE SHALL BE PROVIDED WITH SUPPORTS TO SUSPEND THE FIXTURE FROM THE ROOF STRUCTURE, INDEPENDENT OF THE CEILING GRID. PROVIDE A MINIMUM OF FOUR (4) RODS OR WIRES PER FIXTURE, NOT MORE THAN 6" FROM EACH CORNER.
6. REFER TO THE NEW PLANS FOR THE NEW LOCATION OF UNIT VENTILATOR. ANY EXISTING CONDUIT, WIRING, ETC. IN THE NEW LOCATION (INTERIOR OR EXTERIOR) SHALL BE MAINTAINED. ROUTE CONDUIT THROUGH, AROUND, OR ABOVE THE UNIT VENTILATOR AS REQUIRED TO MAINTAIN EXISTING CIRCUIT CONTINUITY. ANY DEVICES IN CONFLICT WITH THE NEW LOCATIONS SHALL BE REMOVED AND RELOCATED TO THE SIDE OF THE UNIT. VERIFY THE FINAL LOCATION OF ANY DEVICES IN FIELD.

GENERAL NOTES

1. REFER TO THE ARCHITECTURAL RCP FOR FINAL CONFIRMATION OF CEILING WORK SCOPE. ROOMS ARE TAGGED ON THIS SHEET (SEE SHEET NOTE "2") FOR CONVENIENCE, BUT FINAL SCOPE SHALL BE VERIFIED WITH THE ARCHITECTURAL RCP.

DEMOLITION NOTES

- A. COORDINATE PHASING OF WORK AND PROVIDE TEMPORARY POWER AND SERVICES AS REQUIRED FOR THE IMPLEMENTATION OF ALL WORK WHILE MAINTAINING SERVICES TO PORTIONS OF BUILDING TO REMAIN OCCUPIED.
- B. DISCONNECT AND REMOVE EXISTING ELECTRICAL DEVICES, EQUIPMENT, LIGHTING, WIRING, ETC., AS REQUIRED TO FACILITATE DEMOLITION AND RECONSTRUCTION WORK. COORDINATE WITH GENERAL CONSTRUCTION. THE CONTRACTOR IS HEREBY ADVISED THAT THESE DRAWINGS MAY NOT INDICATE ALL EXISTING WIRING AND/OR EQUIPMENT WHICH MUST BE REMOVED, REWORKED, RELOCATED, ETC., TO ACCOMMODATE DEMOLITION AND RECONSTRUCTION WORK IN THE EXISTING BUILDING.
- C. SCHEDULE ALL WORK TO AVOID DOWNTIME AND INCONVENIENCE TO OWNER. OWNER'S EXISTING FACILITY SHALL REMAIN IN OPERATION AT ALL TIMES, INCLUDING FIA AND OTHER SPECIAL SYSTEMS, ELECTRICAL POWER DISTRIBUTION, ETC. ALL REQUIRED SHUTDOWN OF EXISTING FACILITY UTILITIES SHALL BE SCHEDULED WITH OWNER'S OPERATING PERSONNEL.
- D. ALL EXISTING EQUIPMENT SHALL REMAIN PROPERTY OF THE OWNER AND OWNER SHALL DETERMINE IF CONTRACTOR IS TO STORE EQUIPMENT ON SITE AT OWNER SELECTED LOCATION OR IF CONTRACTOR IS TO ABANDON OR REMOVE EQUIPMENT FROM SITE.
- E. CONTRACTOR TO FIELD VERIFY IF EXISTING ASBESTOS WILL BE ENCOUNTERED PRIOR TO STARTING ANY WORK. IF ASBESTOS IS PRESENT, THE OWNER WILL PROVIDE FOR THE REMOVAL OF ANY MATERIAL CONTAINING ASBESTOS. SEE SPECIFICATIONS FOR FURTHER REQUIREMENTS.
- F. ANY HIDDEN CONDITIONS IDENTIFIED THROUGH THE COURSE OF CONSTRUCTION SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE ARCHITECT IN WRITTEN FORM FOR REVIEW AND DIRECTION. FAILURE TO DO SO SHALL MAKE THE CONTRACTOR RESPONSIBLE FOR ANY AND ALL REQUIRED CHANGES AND COSTS TO CORRECT SAID HIDDEN CONDITION.
- G. EXISTING INFORMATION IDENTIFIED ON THE CONTRACT DOCUMENTS IS SCHEMATIC ONLY AS AN AID TO THE CONTRACTOR. CONTRACTOR SHALL BE RESPONSIBLE TO PROPERLY ADDRESS ALL EXISTING CONDITIONS FOR A COMPLETE AND PROPER INSTALLATION OF NEW SYSTEMS. ALL EXISTING EQUIPMENT NOT IDENTIFIED SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT/ENGINEER FOR REVIEW AS TO WHETHER THE EQUIPMENT SHALL REMAIN AND BE RECONNECTED TO THE NEW SERVICES, BE RELOCATED, BE ABANDONED, ETC.
- H. DISCONNECT AND REMOVE EXISTING LIGHTING FIXTURES AND ANY OTHER CEILING DEVICES AS REQUIRED FOR INSTALLATION OF WORK (ALL TRADES). REINSTALL UPON COMPLETION OF WORK. REPAIR ALL DAMAGED FIXTURES AND DEVICES.
- I. VISIT SITE PRIOR TO BIDDING TO DETERMINE ALL FIELD CONDITIONS. VERIFY ALL EXISTING INTERIOR AND EXTERIOR ELECTRICAL SYSTEMS TO VERIFY QUANTITIES AND LOCATIONS OF EXISTING SYSTEMS TO DETERMINE FULL EXTENT OF DEMOLITION WORK.
- J. ALL EXISTING LIGHTING FIXTURES, ELECTRICAL DEVICES, CONDUIT, ETC., SHALL BE REMOVED AS NOTED ON DRAWINGS AND AS REQUIRED TO MEET NEW SCOPE OF WORK. ALL EXISTING ELECTRICAL EQUIPMENT SHALL REMAIN PROPERTY OF THE OWNER AND SHALL BE PROPERLY STORED ON SITE, OR DESIGNATED TO BE ABANDONED AND REMOVED FROM SITE AS DIRECTED BY OWNER.
- K. EXISTING ELECTRICAL DEVICES (RECEPTACLES, SWITCHES, OUTLET BOXES, CONDUIT, ETC.) WITHIN WALLS TO BE REMOVED SHALL BE DISCONNECTED COMPLETELY. REROUTE CIRCUITRY AS REQUIRED TO MAINTAIN CIRCUIT CONTINUITY FOR ALL REMAINING DEVICES/EQUIPMENT. VERIFY EXACT CONDITIONS AND QUANTITIES IN FIELD.
- L. PATCH ALL EXISTING CEILING, FLOOR, WALL AND ROOF OPENINGS AND SURROUNDING FINISHES RESULTING FROM REMOVAL OF EXISTING MATERIALS AND EQUIPMENT SO THAT FINISH WILL MATCH EXISTING IN SURROUNDING AREAS.



GIBRALTAR
DESIGN

ARCHITECTURE • ENGINEERING • INTERIOR DESIGN




MILLIES
ENGINEERING GROUP
©2019 9948400
www.milliesengineeringgroup.com

PROJECT:

**CONVERSE ES -
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION

600 WALNUT ST.,
CONVERSE, IN. 46919



KEY PLAN



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

9102 N. Meridian St., Ste. 300
Indianapolis, IN 46260
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone 317.580.5777 Fax 317.580.5778

PROJECT

25-173

DATE

07/20/26

COORDINATED BY

RH

DRAWN BY

BR/MH

CHECKED BY

DJ



COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK	DATE	ISSUED FOR
AD-02	08/07/26	ADDENDUM 02

DRAWING
PARTIAL FIRST FLOOR
ELECTRICAL DEMOLITION PLAN


PROJECT
CONVERSE ES - MECHANICAL
IMPROVEMENTS

© GIBRALTAR
DESIGN

SHEET

C

ED103



GENERAL NOTES

1. REMOVE AND REINSTALL EXISTING LIGHTING, PROJECTORS, WIRELESS TERMINALS, OCCUPANCY SENSORS, AND OTHER CEILING MOUNTED DEVICES IN THIS SPACE AS REQUIRED FOR THE INSTALLATION OF THE NEW DUCTWORK, GRILLES, AND BULKHEAD. THE EXISTING LIGHTING LAYOUT SHALL BE MODIFIED AS REQUIRED FOR THE NEW BULKHEAD. COORDINATE LIGHTING LOCATIONS WITH NEW GRILLES IN FIELD. COMPLETE AS REQUIRED.
2. REFER TO THE ARCHITECTURAL RCP FOR FINAL CONFIRMATION OF CEILING WORK SCOPE.

SHEET NOTES

1. ALL FIXTURES IN THIS SPACE SHALL BE PROVIDED WITH SUPPORTS TO SUSPEND THE FIXTURE FROM THE ROOF STRUCTURE. INDEPENDENT OF THE CEILING GRID. PROVIDE A MINIMUM OF FOUR (4) RODS OR WIRES PER FIXTURE, NOT MORE THAN 6" FROM EACH CORNER.
2. PROVIDE NEW OCCUPANCY SENSORS IN THIS SPACE AS SHOWN. VERIFY THE EXISTING SWITCHING CONFIGURATION AND DIMMING CAPABILITIES IN THIS SPACE PRIOR TO ORDERING THE NEW EQUIPMENT. REFER TO THE OCCUPANCY SENSOR DETAILS FOR ADDITIONAL INFORMATION.



GIBRALTAR
DESIGN

ARCHITECTURE • ENGINEERING • INTERIOR DESIGN




MILLIES
ENGINEERING GROUP
©2019 9945400
www.milliesengineeringgroup.com

PROJECT:

**CONVERSE ES -
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION
600 WALNUT ST.
CONVERSE, IN, 46919



KEY PLAN



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

9102 N. Meridian St., Ste. 300
Indianapolis, IN 46250
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone 317.580.5777 Fax 317.580.5778

PROJECT

25-173

DATE

07/20/26

COORDINATED BY


RH

DRAWN BY

BR/MH

CHECKED BY

DJ



COPYRIGHT NOTICE:

THE CONCEPTS, DESIGNS, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK	DATE	ISSUED FOR
AD-01	07/31/26	ADDENDUM 01
AD-02	08/07/26	ADDENDUM 02

DRAWING

UNIT "A" FIRST FLOOR
ELECTRICAL LIGHTING PLAN

PROJECT

CONVERSE ES - MECHANICAL
IMPROVEMENTS

© GIBRALTAR
DESIGN

SHEET

A

EL101

8/6/2026 4:00:40 PM
Autodesk Docs://2504056 Oak Hill SC - 2026 Construction Projects/MEG_Oak_Hill - Converse ES_MEP-R25.rvt



GIBRALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN



PROJECT:

CONVERSE ES - MECHANICAL IMPROVEMENTS

OAK HILL UNITED SCHOOL
CORPORATION
600 WALNUT ST.,
CONVERSE, IN, 46919



KEY PLAN



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

9102 N. Meridian St., Ste. 300
Indianapolis, IN 46250
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone 317.580.5777 Fax 317.580.5778

PROJECT

25-173

DATE

07/20/26

COORDINATED BY

RH

DRAWN BY

BR/MH

CHECKED BY

DJ



COPYRIGHT NOTICE:

THE CONCEPTS, DESIGNS, PLANS, DETAILS, ETC. SHOWN ON
THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN
AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT.
NONE OF THIS INFORMATION SHALL BE USED BY ANY
PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS
WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY
RETAIN COPIES FOR INFORMATION AND REFERENCE BY
CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK DATE ISSUED FOR

AD-01 07/31/26 ADDENDUM 01

AD-02 08/07/26 ADDENDUM 02

DRAWING

UNIT "B" FIRST FLOOR
ELECTRICAL LIGHTING PLAN

PROJECT

CONVERSE ES - MECHANICAL
IMPROVEMENTS

© GIBRALTAR
DESIGN

SHEET

B


EL102

SHEET NOTES


- ALL FIXTURES IN THIS SPACE SHALL BE PROVIDED WITH SUPPORTS TO SUSPEND THE FIXTURE FROM THE ROOF STRUCTURE, INDEPENDENT OF THE CEILING GRID. PROVIDE A MINIMUM OF FOUR (4) RODS OR WIRES PER FIXTURE, NOT MORE THAN 6" FROM EACH CORNER.
- PROVIDE NEW OCCUPANCY SENSORS IN THIS SPACE AS SHOWN. VERIFY THE EXISTING SWITCHING CONFIGURATION AND DIMMING CAPABILITIES IN THIS SPACE PRIOR TO ORDERING THE NEW EQUIPMENT. REFER TO THE OCCUPANCY SENSOR DETAILS FOR ADDITIONAL INFORMATION.

GENERAL NOTES


- REMOVE AND REINSTALL EXISTING LIGHTING, PROJECTORS, WIRELESS TERMINALS, OCCUPANCY SENSORS, AND OTHER CEILING MOUNTED DEVICES IN THIS SPACE AS REQUIRED FOR THE INSTALLATION OF THE NEW DUCTWORK, GRILLES, AND BULKHEAD. THE EXISTING LIGHTING LAYOUT SHALL BE MODIFIED AS REQUIRED FOR THE NEW BULKHEAD. COORDINATE LIGHTING LOCATIONS WITH NEW GRILLES IN FIELD. COMPLETE AS REQUIRED.
- REFER TO THE ARCHITECTURAL RCP FOR FINAL CONFIRMATION OF CEILING WORK SCOPE.



1
EL102
UNIT "B" FIRST FLOOR ELECTRICAL LIGHTING CEILING PLAN
1/8" = 1'-0"



8/6/2028 4:00:41 PM
Autodesk Docs://2504058 Oak Hill SC - 2026 Construction Projects/MEG_Oak Hill - Converse ES - MEP-F25.rvt



GENERAL NOTES

- REMOVE AND REINSTALL EXISTING LIGHTING, PROJECTORS, WIRELESS TERMINALS, OCCUPANCY SENSORS, AND OTHER CEILING MOUNTED DEVICES IN THIS SPACE AS REQUIRED FOR THE INSTALLATION OF THE NEW DUCTWORK, GRILLES, AND BULKHEAD. THE EXISTING LIGHTING LAYOUT SHALL BE MODIFIED AS REQUIRED FOR THE NEW BULKHEAD. COORDINATE LIGHTING LOCATIONS WITH NEW GRILLES IN FIELD. COMPLETE AS REQUIRED.
- REFER TO THE ARCHITECTURAL RCP FOR FINAL CONFIRMATION OF CEILING WORK SCOPE.

SHEET NOTES


- ALL FIXTURES IN THIS SPACE SHALL BE PROVIDED WITH SUPPORTS TO SUSPEND THE FIXTURE FROM THE ROOF STRUCTURE. INDEPENDENT OF THE CEILING GRID. PROVIDE A MINIMUM OF FOUR (4) RODS OR WIRES PER FIXTURE. NOT MORE THAN 6" FROM EACH CORNER.
- PROVIDE NEW OCCUPANCY SENSORS IN THIS SPACE AS SHOWN. VERIFY THE EXISTING SWITCHING CONFIGURATION AND DIMMING CAPABILITIES IN THIS SPACE PRIOR TO ORDERING THE NEW EQUIPMENT. REFER TO THE OCCUPANCY SENSOR DETAILS FOR ADDITIONAL INFORMATION.

AD-02

1
EL103

UNIT "C" FIRST FLOOR ELECTRICAL LIGHTING CEILING PLAN

1/8" = 1'-0"



GIBALTAR
DESIGN

ARCHITECTURE • ENGINEERING • INTERIOR DESIGN




MILLIES
ENGINEERING GROUP
©2019 0945400
www.milliesengineeringgroup.com

PROJECT:

CONVERSE ES - MECHANICAL IMPROVEMENTS

OAK HILL UNITED SCHOOL
CORPORATION
600 WALNUT ST.
CONVERSE, IN, 46919



KEY PLAN

100% CONSTRUCTION
DOCUMENTS

GIBALTAR DESIGN

9102 N. Meridian St., Ste. 300
Indianapolis, IN 46250
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone 317.580.5777 Fax 317.580.5778

PROJECT

25-173

DATE

07/20/26

COORDINATED BY


RH

DRAWN BY

BR/MH

CHECKED BY

DJ



COPYRIGHT NOTICE:

THE CONCEPTS, DESIGNS, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK	DATE	ISSUED FOR
AD-01	07/31/26	ADDENDUM 01
AD-02	08/07/26	ADDENDUM 02

DRAWING

UNIT "C" FIRST FLOOR
ELECTRICAL LIGHTING PLAN

PROJECT

CONVERSE ES - MECHANICAL
IMPROVEMENTS

© GIBALTAR
DESIGN

C

SHEET

EL103

Copyright © 2020 Millies Engineering Group



UNIT "A" FIRST FLOOR ARCHITECTURAL DEMO PLAN
1
AD101
1/8" = 1'-0"

GENERAL DEMOLITION NOTES:

- FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO G SERIES SHEETS.
- UNLESS NOTED OTHERWISE ON THIS SHEET, THE GENERAL CONTRACTOR IS RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL WORK INDICATED ON THIS SHEET.
- CONTRACTORS ENCOUNTERING EXISTING MATERIAL WHICH IS SUSPECTED OF CONTAINING ASBESTOS SHALL STOP WORK IMMEDIATELY AND NOTIFY THE OWNER AND THE OWNER'S REPRESENTATIVE.
- BOLD DASHED LINES INDICATE EXISTING ITEMS TO BE REMOVED UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR FIELD VERIFYING THE EXTENT OF DEMOLITION WORK PRIOR TO BIDDING AND FOR COORDINATING THE EXTENT OF DEMOLITION WITH THE INSTALLATION OF NEW SYSTEMS.
- EACH CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION APPLICABLE TO THEIR SCOPE OF WORK AND AS REQUIRED FOR INSTALLATION OF NEW WORK WHETHER OR NOT IT IS SPECIFICALLY INDICATED OR NOTED IN THESE DOCUMENTS.
- PRIOR TO STARTING DEMOLITION, CONSTRUCT DUST CONTROL BARRIERS TO PREVENT THE SPREAD OF DUST INTO SURROUNDING AREAS, (WHERE APPLICABLE).
- WHERE BUILDING EGRESS IS REQUIRED TO PASS THROUGH DEMOLITION AREAS, PROVIDE APPROVED BARRIERS, ETC. TO ENSURE SAFETY OF THE PUBLIC.
- RELOCATED ITEMS SHALL BE CLEANED AND PLACED IN STORAGE, PER OWNERS' DIRECTION, UNTIL ITEMS ARE READY TO BE INSTALLED. IF ITEMS ARE DAMAGED DURING DEMOLITION OR RELOCATION, THEY SHALL BE REPAIRED OR REPLACED WITH NEW ITEMS AS APPROVED.
- DEMOLITION SHALL BE PERFORMED WITHOUT DAMAGE TO EXISTING CONSTRUCTION TO REMAIN. WHERE SUCH DAMAGE OCCURS, PATCH, REPAIR, OR RESTORE WALLS, FLOORS, CEILING, ETC., NEATLY TO MATCH EXISTING ADJACENT SURFACE. PROVIDE SHORING, BRACING, OR SUPPORT TO PREVENT MOVEMENT OR SETTLEMENT OF EXISTING STRUCTURES.
- EACH CONTRACTOR IS RESPONSIBLE FOR CUTTING, PATCHING, AND DISCONNECTION OF ITEMS APPLICABLE TO THEIR SCOPE OF WORK. WHERE EXISTING SERVICES ARE ABANDONED, CAP AT LEAST 1" BEHIND NEW FINISHES AND/OR EXISTING SURFACE AND PATCH TO RECEIVE NEW FINISHES OR MATCH EXISTING FINISH.
- ON WALLS THAT ARE TO RECEIVE NEW FINISHES, REMOVE AND REINSTALL EXISTING EQUIPMENT TO REMAIN FOR INSTALLATION OF NEW FINISHES.
- WHERE WALLS OR BULKHEADS ARE REMOVED, PATCH FLOORS, CEILINGS, AND ADJACENT WALLS AS REQUIRED TO MATCH EXISTING OR RECEIVE NEW FINISHES WHERE APPLICABLE. WHERE EXISTING DUCTWORK, PIPING, OR EQUIPMENT IS REMOVED, PATCH OPENINGS AND/OR SURFACES TO MATCH ADJACENT SURFACES OR RECEIVE NEW FINISHES WHERE APPLICABLE. REFER TO ALL DEMOLITION DRAWINGS FOR EXTENT OF ITEMS TO BE REMOVED.
- OVER CUT NEW OPENINGS IN EXISTING WALL AS REQUIRED FOR NEW CONSTRUCTION. PATCH AND REPAIR WALLS TO MATCH EXISTING. WHERE APPLICABLE, TOOTH NEW MASONRY INTO EXISTING MASONRY.
- ALL EQUIPMENT AND FURNITURE WHICH ARE CONSIDERED LOOSE. FURNISHING SHALL BE REMOVED BY THE OWNER PRIOR TO DEMOLITION.
- MASONRY WALLS TO BE REMOVED SHALL BE REMOVED TO A POINT 2" MINIMUM BELOW THE EXISTING FLOOR SLAB UNLESS SETTING ON A SLAB OR SPECIFICALLY NOTED OTHERWISE. PATCH WITH NEW CONCRETE TO BE FLUSH WITH THE EXISTING FLOOR SLAB.
- EACH CONTRACTOR SHALL BE RESPONSIBLE FOR GENERAL REVIEW OF DEMOLITION NOTES AND GENERAL DEMOLITION NOTES AS THEY APPLY TO THEIR SCOPE OF WORK.
- THE OWNER SHALL RESERVE THE RIGHT TO CLAIM ANY MATERIALS THAT ARE BEING DEMOLISHED PRIOR TO THE CONTRACTOR DISPOSING OF THEM OFF SITE.
- REFER TO THE MECHANICAL AND ELECTRICAL DOCUMENTS FOR COMPLETE SCOPE OF DEMOLITION WORK.
- "FLOORING" DENOTES FLOOR COVERING MATERIALS INCLUDING BACKING, ADHESIVES, AND BASES DOWN TO BUT EXCLUSIVE OF FLOOR SLABS AND STRUCTURAL MATERIALS UNLESS NOTED OTHERWISE.
- DEMOLITION IS TO FOLLOW ESTABLISHED CONSTRUCTION SEQUENCE. REFER TO SPECIFICATIONS AND DRAWINGS FOR REQUIREMENTS AND SPECIAL CONDITIONS.
- WHERE APPLICABLE SALVAGE EXISTING MASONRY (FACE BRICK, GLAZED CMU, FACING TILE) FOR PATCHING AND INFILL IN RENOVATED AREAS WHERE INDICATED. DISCARD UNUSED PORTION OFF SITE.

PLAN LEGEND:

- INDICATES AREAS WHERE NO ARCHITECTURAL WORK IS TO OCCUR.
- INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL.

DEMOLISHION PLAN NOTES:

(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

- REMOVE EXISTING UNIT VENTILATOR IN ITS ENTIRETY. REFER TO MECHANICAL DRAWINGS.
- REMOVE EXISTING LOUVER IN ITS ENTIRETY. PATCH AND REPAIR WALL TO RECEIVE NEW INFILL.
- REMOVE PORTION OF EXISTING MASONRY WALL FOR NEW LOUVER OPENING.
- STRUCTURE ABOVE IS PLANK DECK.
- REMOVE EXISTING CEILING GRID AND PADS IN THEIR ENTIRETY. EXISTING LIGHTS ARE SUPPORTED BY CEILING GRID. PROVIDE NEW SAFETY CABLE SUPPORTED FROM STRUCTURE ABOVE.
- REMOVE CEILING IN COMMONS TO THIS POINT. DASHED LINE INDICATES LOCATION OF NEW BULKHEAD. REFER TO CEILING PLANS.
- SKIM COAT GYPSUM WALL FROM FLOOR TO CEILING.
- REMOVE SECTION OF EXISTING WOOD TRIM ON WALL FOR NEW VUV TO SIT FLUSH AGAINST EXTERIOR WALL. COORDINATE EXACT WIDTH WITH MECHANICAL.
- REMOVE PROJECTOR SCREEN FROM WALL. SET ASIDE FOR REINSTALL.
- RELOCATE EXISTING CEILING MOUNTED PROJECTOR TO NEW PROJECTOR SCREEN LOCATION.
- REMOVE EXISTING METAL TRIM PIECES IN CORNER OF WALL.
- REMOVE EXISTING WALL MOUNTED WOOD CABINETS. TURN OVER TO OWNER FOR RELOCATION.
- REMOVE TACKABLE WALL SURFACE FROM EDGE OF UNIT VENT TO MASONRY PLASTER FROM FLOOR TO CEILING IN ITS ENTIRETY.
- REMOVE EXISTING CARPET/VCT FLOORING IN ITS ENTIRETY FROM FINISH FACE OF NEW UNIT VENTILATOR OR NEAREST MATERIAL JOINT. INCLUDING VINYL WALL BASE. PREPARE SLAB FOR NEW FLOOR FINISH.
- REMOVE EXISTING WINDOW SYSTEM IN ITS ENTIRETY. PATCH AND REPAIR OPENING TO RECEIVE NEW STOREFRONT AND LOUVER ASSEMBLY.
- REMOVE EXISTING WALL-RECESSED WOOD SHELVING IN ITS ENTIRETY. PATCH AND REPAIR WALL TO RECEIVE NEW INFILL.
- CUT OPENING IN TECTUM DECK DOOR FOR NEW OUTSIDE AIR INTAKE. REFER TO MECHANICAL. SEE DETAIL 61A-501.
- REMOVE PORTION OF EXISTING WOOD STUD AND METAL SIDING WALL FOR NEW LOUVER. REFER TO MECHANICAL CENTER NEW VUV AND LOUVER BETWEEN EXISTING 4X4 POSTS.
- EXISTING 4X4 WOOD POST TO REMAIN. POSTS ARE 4" O.C. FIELD VERIFY.
- REMOVE EXISTING VCT FLOORING IN ITS ENTIRETY, INCLUDING VINYL WALL BASE. TO NEAREST MATERIAL JOINT. PREPARE SLAB FOR NEW VCT.
- REMOVE EXISTING HARDBOARD AND FINISH WALL PANELS TO EXISTING STUDS. PATCH AND REPAIR WALL TO RECEIVE NEW GYPSUM WALL BOARD.

AD-02

GIBRALTAR
DESIGN
ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:
SWAYZEE ES MECHANICAL IMPROVEMENTS
OAK HILL UNITED SCHOOL CORPORATION
405 S WASHINGTON ST,
SWAYZEE, IN, 46986

KEY PLAN

100% CONSTRUCTION DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT
25-174
DATE
07/20/26
COORDINATED BY
D.J.W.
DRAWN BY
CND
CHECKED BY
CND D.J.W.


COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

MARK	DATE	ISSUED FOR
AD-01	07/31/26	ADDENDUM 01
AD-02	08/07/31	ADDENDUM 02

DRAWING
UNIT "A" ARCHITECTURAL FIRST FLOOR DEMOLITION PLAN


PROJECT
SWAYZEE ES MECHANICAL IMPROVEMENTS

© GIBRALTAR DESIGN	SHEET
A	AD101




UNIT B - WALL SECTION

4
A-102
3/4" = 1'-0"



UNIT B - WINDOW SECTION

3
A-102
3/4" = 1'-0"



UNIT B - TYPICAL WALL SECTION

2
A-102
3/4" = 1'-0"

GENERAL PLAN NOTES:

- FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO G-201.
- PLAN DIMENSIONS TO MASONRY WALLS ARE TO FACE OF ROUGH MASONRY. PLAN DIMENSIONS TO STUD WALLS ARE TO FACE OF FINISHED GYPSUM BOARD OR PLASTER. PLAN DIMENSIONS TO STUD WALLS WITH CERAMIC TILE FINISH ARE TO THE FACE OF TILE BACKER BOARD.
- ALL CMU WALLS THAT DO NOT LAY OUT IN FULL OR HALF LENGTHS SHOULD BE BALANCED SO AS NOT TO HAVE ANY PIECES LESS THAN 4" IN SIZE EXPOSED TO VIEW.
- MASONRY WALLS BEARING ON A THICKENED SLAB AT SLAB DEPRESSIONS REQUIRE CUT MASONRY UNITS SO THAT COURSEING BEGINS AT THE FLOOR LINE.
- THE BASE FIRST FLOOR ELEVATION INDICATED FOR THE PROJECT IS 100'-0". REFER TO SITE PLAN FOR CORRELATION TO USGS DATUM.
- VERIFY MOUNTING HEIGHTS OF ACCESSORIES, EQUIPMENT, CASEWORK, ETC. AND PROVIDE FIRE TREATED WOOD BLOCKING (OR METAL STRAPPING WHERE INDICATED) WITHIN METAL STUD WALLS FOR ALL WALL MOUNTED ITEMS.
- REFER TO LIFE SAFETY PLANS REGARDING FIRE RATED WALL LOCATIONS AND OTHER CODE INFORMATION.
- INTERIOR CMU WALLS ARE TO BE RUNNING BOND UNLESS NOTED OTHERWISE.
- WHERE NEW CMU WALLS INTERSECT EXISTING CMU WALLS AT A CORNER OR ARE ALIGNED WITH EXISTING CMU WALLS, TOOTH NEW CMU INTO EXISTING CMU UNLESS NOTED OTHERWISE.
- REFER TO DEMOLITION SHEETS FOR ADDITIONAL PATCHING AND REPAIR WORK.
- ALL EXPOSED CONCRETE MASONRY UNITS (CMU) CORNERS ARE TO BE BULLNOSED, EXCEPT AT MASONRY BULKHEADS AND EXTERIOR WINDOW JAMBS.
- PROVIDE SEALANT BETWEEN DISSIMILAR MATERIALS SUCH AS GYPSUM BOARD, MASONRY AND CONCRETE, COUNTERTOPS AND WALLS, ETC.
- REFER TO FINISH PLANS FOR INTERIOR ELEVATIONS, LOCATION, AND EXTENT OF FINISHED FLOOR AND WALL MATERIAL.


PLAN LEGEND:

- INDICATES AREAS WHERE NO ARCHITECTURAL WORK IS TO OCCUR.
- INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL.

ARCHITECTURAL PLAN NOTES:


(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

- NEW VERTICAL UNIT VENTILATOR. REFER TO MECHANICAL.
- VUV FALSE BACK PANEL.
- NEW LOUVER IN EXISTING WALL. REFER TO MECHANICAL.
- TAPE AND MUD ALL EXISTING EXPOSED DRYWALL JOINTS AND SCREW HOLES ON EXTERIOR WALL FROM FINISH FLOOR TO WOOD TRIM, ROUGHLY 3'-4" AFF. SKIMCOAT THIS SAME SECTION OF WALL FOR NEW PAINT FINISHES.
- DASHED LINE INDICATES BULKHEAD ABOVE. REFER TO WALL SECTIONS AND CEILING PLANS.
- WHERE EXISTING LOUVER AND UNIT VENTILATOR WAS REMOVED, PATCH AND INFILL STUD WALL WITH NEW METAL STUDS AND GYPSUM BOARD. NEW WALL FINISH TO BE FLUSH WITH EXISTING.
- WHERE EXISTING LOUVER AND UNIT VENTILATOR WAS REMOVED, PATCH AND INFILL WALL. SEE DETAIL 2/A-501.
- EXISTING WALL FINISH IS GYPSUM BOARD. LAMINATE GYPSUM BOARD TO WALL INFILL TO MATCH ADJACENT SURFACES. ASSUME 5/8" GYPSUM BOARD, FIELD VERIFY.
- WHERE EXISTING LOUVER WAS REMOVED, PROVIDE NEW 7'-0" X 2'-6" LIMESTONE PANEL AND INFILL WALL. SEE 3/A-101.
- WHERE EXISTING LOUVER WAS REMOVED, PROVIDE NEW 9'-0" X 2'-6" LIMESTONE PANEL AND INFILL WALL. SEE 3/A-101.
- PROVIDE NEW 5/8" GYPSUM BOARD WALL FINISH ON EXISTING WOOD STUD WALL.
- FIX DRYWALL JOINTS AT WINDOW JAMBS FROM WINDOW SILL TO WOOD TRIM, PROVIDE CORNER BEAD, TAPE, AND MUD.
- NEW STOREFRONT AND LOUVER ASSEMBLY IN EXISTING WINDOW OPENING. RELOCATED WALL MOUNTED PROJECTION SCREEN. COORDINATE EXACT LOCATION TO BE RELOCATED IN THIS ROOM WITH OWNER.
- PROVIDE 1X2 WOOD TRIM AT EDGE OF EXISTING TACKABLE WALL SURFACE FROM FLOOR TO CEILING. SEE 1/A-501.
- INFILL EXISTING AIR TRANSFER IN FLOOR WITH CMU WALL. ASSUME 8" CMU. FIELD VERIFY.
- EXISTING 4X4 WOOD POST TO REMAIN. POSTS ARE 5'-0" O.C. FIELD VERIFY.
- INFILL RECESSED WOOD SHELVEING WITH 2-1/2" STUDS AND 5/8" GYPSUM BOARD WALL.



UNIT "B" ARCHITECTURAL FIRST FLOOR PLAN

1
A-102
1/8" = 1'-0"



GIBRALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:

**SWAYZEE ES
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION

405 S WASHINGTON ST.,
SWAYZEE, IN, 46986



KEY PLAN

100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT

25-174

DATE

07/20/26

COORDINATED BY

DJW

DRAWN BY

CND

CHECKED BY

DJW

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK DATE ISSUED FOR

AD-01 07/31/26 ADDENDUM 01

AD-02 08/07/31 ADDENDUM 02

DRAWING

UNIT "B" ARCHITECTURAL
FIRST FLOOR PLAN

PROJECT
SWAYZEE ES MECHANICAL
IMPROVEMENTS

© GIBRALTAR
DESIGN

SHEET

B

A-102

8/7/2026 11:07:24 AM
C:\Users\cdavis\Documents\25-174 Swayzee - ARCH P25_cDavis\3JM9.rvt

GENERAL ELEVATION NOTES:


- A. REFER TO FLOOR PLANS FOR EXTERIOR WALL SECTIONS CUTS, UNLESS INDICATED OTHERWISE.
B. FINISH GRADE INDICATES ON ELEVATIONS ARE FOR DRAWING PURPOSES ONLY. COORDINATE STEPPED FLASHING WITH ACTUAL GRADES FOR CELL VENTS TO BE ABOVE GRADE.

ELEVATION NOTES:

(ALL ELEVATION NOTES MAY NOT BE INDIATED ON THIS SHEET)


- 1 APPROXIMATE FINISH GRADE.
2 NEW MECHANICAL LOUVER IN EXISTING WALL. REFER TO MECHANICAL DRAWINGS.
3 NEW MECHANICAL LOUVER IN STOREFRONT ASSEMBLY. REFER TO MECHANICAL DRAWINGS.
4 LIMESTONE HEADER. EXTEND 6" BEYOND LOUVER OPENING BOTH SIDES. SEE 5/A-501
5 LIMESTONE PANEL 2'-6" X 9'-0". SEE 3/A-501.
6 Limestone Siding Top of Head and Jamb of Mechanical Louver Opening.
7 UNIT VENT CONDENSATE LINE. ROUTE THROUGH LIMESTONE PANEL JOINTS OR EDGES ONLY.
E1 EXISTING WINDOW SYSTEM TO REMAIN.
E2 EXISTING FACE BRICK TO REMAIN.
E3 EXISTING COPING TO REMAIN.
E4 EXISTING METAL SIDING TO REMAIN.

AD-02




UNIT B - SOUTH

1/8" = 1'-0"




UNIT C - WEST

1/8" = 1'-0"




UNIT B - NORTH 2

1/8" = 1'-0"




UNIT B - EAST

1/8" = 1'-0"




UNIT B - WEST

1/8" = 1'-0"




UNIT B - NORTH 1

1/8" = 1'-0"




UNIT A - EAST 2

1/8" = 1'-0"




UNIT A - EAST 1

1/8" = 1'-0"



UNIT A - WEST

1/8" = 1'-0"



GIBRALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:

**SWAYZEE ES
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION

405 S WASHINGTON ST,
SWAYZEE, IN, 46986



KEY PLAN



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46268
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT

25-174

DATE

07/20/26

COORDINATED BY

CND

DRAWN BY

CND

CHECKED BY

DJW CND

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON
THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN
AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT.
NONE OF THIS INFORMATION SHALL BE USED BY ANY
PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS
WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY
RETAIL COPIES FOR INFORMATION AND REFERENCE IN
CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK

DATE

ISSUED FOR

AD-01 07/31/26 ADDENDUM 01

AD-02 08/07/31 ADDENDUM 02

DRAWING

EXTERIOR ELEVATIONS













PROJECT

SWAYZEE ES MECHANICAL
IMPROVEMENTS

© GIBRALTAR
DESIGN

SHEET

A-310



GIBRALTAR DESIGN
ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:
SWAYZEE ES MECHANICAL IMPROVEMENTS
OAK HILL UNITED SCHOOL CORPORATION
405 S WASHINGTON ST.,
SWAYZEE, IN, 46786

KEY PLAN

100% CONSTRUCTION DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT 25-174
DATE 07/20/26
COORDINATED BY DJW
DRAWN BY CND
CHECKED BY CND DJW


COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NO PART OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS		
MARK	DATE	ISSUED FOR
AD-01	07/31/26	ADDENDUM 01
AD-02	08/07/31	ADDENDUM 02

DRAWING
TYPICAL DETAILS

PROJECT
SWAYZEE ES MECHANICAL IMPROVEMENTS

© GIBRALTAR DESIGN
SHEET
A-501



GENERAL FINISH NOTES:

- A. REFERENCE FINISH LEGEND FOR FINISH INFORMATION.
- B. REFERENCE REFLECTED CEILING PLANS AND WRITTEN SPECIFICATIONS FOR ADDITIONAL FINISH INFORMATION.
- C. PRIOR TO INSTALLATION OF NEW FINISHES CONTRACTOR SHALL INSPECT ALL SUBSTRATES. IF A SUBSTRATE IS DEEMED UNACCEPTABLE THE CONTRACTOR SHALL TAKE THE NECESSARY STEPS TO RECTIFY THE SITUATION OR CONTACT THE ARCHITECT WITH THE CONCERN. PROCEEDING WITH THE INSTALLATION OF FINISHES WILL BE CONSTRUED THAT THE INSTALLER AND/OR FINISHER HAS ACCEPTED SAID SUBSTRATE. NO CHANGE ORDER WILL BE ISSUED TO RECTIFY CONCEALED, OR UNSATISFACTORY SUBSTRATE ONCE FINISH WORK HAS PROCEEDED.
- D. PREPARE ALL WALL CONSTRUCTION, NEW AND EXISTING, TO RECEIVE NEW FINISHES AS PER MANUFACTURE'S RECOMMENDED INSTALLATION METHODS AND MATERIALS FOR ALL FINISHES.
- E. ALL FLOORING IS TO BE LEVELED WITHIN 1/4" IN 10'-0" WITH LATEX MATERIAL. MOISTURE CONTENT IN AREA IS TO BE TESTED PRIOR TO INSTALLATION OF FLOORING MATERIAL. CONTRACTOR TO INSTALL FLOORING PER MANUFACTURE'S RECOMMENDED METHOD.
- F. FLOORING CONTRACTOR TO SUBMIT A SEAMING DIAGRAM FOR FLOORING MATERIAL INCLUDING NOTATION OF MATERIAL DIRECTION.
- G. ALL FLOORING TRANSITIONS SHALL COMPLY WITH ADA GUIDELINES.
- H. ALL EXPOSED METAL SURFACES, SUCH AS GRILLES, FIRE EXTINGUISHER CABINETS, ETC. THAT ARE NOTED TO BE PAINTED, SHALL BE PAINTED WITH ALKYD TYPE PAINT. COLOR TO BE COORDINATED WITH DESIGNER UNLESS OTHERWISE NOTED.
- I. CONTRACTOR TO PROVIDE AND INSTALL FLOORING TRANSITIONS AS INDICATED ON THE REQUIRED TYPE/COLOR WITH ARCHITECT.
- J. THE CONTRACTOR SHALL BE RESPONSIBLE TO VERIFY THAT ALL NEW INTERIOR WALL AND CEILING FINISHES WILL BE CLASS B MINIMUM, WITH A FLAME SPREAD RATING OF 75 MAXIMUM, AND A SMOKE DEVELOPED INDEX OF 450 MAXIMUM, PER IBC SECTION 803.
- K. EXPOSED SURFACES OF DUCTWORK TO BE PAINTED TO MATCH ADJACENT SURFACES UNLESS NOTED OTHERWISE.
- L. REFER TO PROJECT MANUAL (CHECK) FOR FINISH LEVEL REQUIREMENTS FOR GYPSUM BOARD SURFACES UNLESS OTHERWISE INDICATED.

FINISH PLAN LEGEND:

P1	WALL FINISH
C1	FLOOR FINISH
B1	BASE FINISH
--	MISC FINISH INFORMATION

⚡ FLOOR TRANSITION AS REQUIRED

↔ INDICATES DIRECTION OF MATERIAL GRAIN

--- INDICATES BULKHEADS OR OTHER OVERHEAD ITEMS (INCLUDED IN CONSTRUCTION CONTRACTS).

FINISH PLAN NOTES


1. NO NEW FINISHES THIS ROOM UNLESS OTHERWISE NOTED.
2. PAINT, P1, AND WALL BASE, B1, TO MATCH EXISTING.
3. PAINT, W1, AND WALL BASE, B1, TO MATCH EXISTING.
4. PAINT ALL SIDES OF BULKHEAD, P3.
5. PAINT ALL SIDES OF BULKHEAD, P2, REFER TO REFLECTED CEILING PLANS.
6. EXISTING TACKABLE WALL SURFACE TO REMAIN.

AD-02



PROJECT:

**SWAYZEE ES
MECHANICAL
IMPROVEMENTS**
OAK HILL UNITED SCHOOL
CORPORATION
405 S WASHINGTON ST,
SWAYZEE, IN, 46986



100% CONSTRUCTION
DOCUMENTS

GIBALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT

25-174

DATE

07/20/26

COORDINATED BY

DJW

DRAWN BY

ACE

CHECKED BY

CND DJW

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK	DATE	ISSUED FOR
AD-02	08/07/21	ADDENDUM 02

DRAWING
**UNIT "B" FIRST FLOOR FINISH
PLAN**

PROJECT
**SWAYZEE ES MECHANICAL
IMPROVEMENTS**

© GIBALTAR
DESIGN

B

SHEET

A-802

FINISH LEGEND							
SURFACE	MARK	DESCRIPTION	MANUFACTURER	PATTERN/FINISH	NUMBER/COLOR	SIZE	COMMENTS
WALL BASE & STAIRS							
	B1	VINYL WALL BASE	JOHNSONITE/TARKETT	--	MATCH EXISTING	4" COVE	
FLOOR MATERIALS							
	C1	CARPET TILE	J+J FLOORING	COLOR ZONE 7479	NAVY 3372		
	VCT1	VINYL COMPOSITION TILE	ARMSTRONG FLOORING	IMPERIAL TEXTURE	519916 DUTCH DEIFT		
WALL MATERIALS							
	P1	PAINT	SHERWIN WILLIAMS	--	MATCH EXISTING	--	
	P2	PAINT	SHERWIN WILLIAMS	--	SW 6530 REVEL BLUE	--	BULKHEADS
	P3	PAINT	SHERWIN WILLIAMS	--	SW 7007 CEILING BRIGHT WHITE	--	BULKHEADS
	W1	WALL COATING	SHERWIN WILLIAMS	--	MATCH EXISTING	--	

ETR = EXISTING TO REMAIN

GENERAL FINISH NOTES:

- A. REFERENCE FINISH LEGEND FOR FINISH INFORMATION.
- B. REFERENCE REFLECTED CEILING PLANS AND WRITTEN SPECIFICATIONS FOR ADDITIONAL FINISH INFORMATION.
- C. PRIOR TO INSTALLATION OF NEW FINISHES CONTRACTOR SHALL INSPECT ALL SUBSTRATES. IF A SUBSTRATE IS DEEMED UNACCEPTABLE THE CONTRACTOR SHALL TAKE THE NECESSARY STEPS TO RECTIFY THE SITUATION OR CONTACT THE ARCHITECT WITH THE CONCERN. PROCEEDING WITH THE INSTALLATION OF FINISHES WILL BE CONSTRUED THAT THE INSTALLER AND/OR FINISHER HAS ACCEPTED SAID SUBSTRATE. NO CHANGE ORDER WILL BE ISSUED TO RECTIFY CONCEALED, OR UNSATISFACTORY SUBSTRATE ONCE FINISH WORK HAS PROCEEDED.
- D. PREPARE ALL WALL CONSTRUCTION, NEW AND EXISTING, TO RECEIVE NEW FINISHES AS PER MANUFACTURE'S RECOMMENDED INSTALLATION METHODS AND MATERIALS FOR ALL FINISHES.
- E. ALL FLOORING IS TO BE LEVELED WITHIN 1/4" IN 10'-0" WITH LATEX MATERIAL. MOISTURE CONTENT IN AREA IS TO BE TESTED PRIOR TO INSTALLATION OF FLOORING MATERIAL. CONTRACTOR TO INSTALL FLOORING PER MANUFACTURE'S RECOMMENDED METHOD.
- F. FLOORING CONTRACTOR TO SUBMIT A SEAMING DIAGRAM FOR FLOORING MATERIAL INCLUDING NOTATION OF MATERIAL DIRECTION.
- G. ALL FLOORING TRANSITIONS SHALL COMPLY WITH ADA GUIDELINES.
- H. ALL EXPOSED METAL SURFACES, SUCH AS GRILLES, FIRE EXTINGUISHER CABINETS, ETC. THAT ARE NOTED TO BE PAINTED, SHALL BE PAINTED WITH ALKYD TYPE PAINT. COLOR TO BE COORDINATED WITH DESIGNER UNLESS OTHERWISE NOTED.
- I. CONTRACTOR TO PROVIDE AND INSTALL FLOORING TRANSITIONS AS INDICATED ON THE FLOOR PATTERN PLANS, WHERE NONE ARE NOTED, CONTRACTOR SHALL VERIFY REQUIRED TYPE/COLOR WITH ARCHITECT.
- J. THE CONTRACTOR SHALL BE RESPONSIBLE TO VERIFY THAT ALL NEW INTERIOR WALL AND CEILING FINISHES WILL BE CLASS B MINIMUM, WITH A FLAME SPREAD RATING OF 75 MAXIMUM, AND A SMOKE DEVELOPED INDEX OF 450 MAXIMUM, PER IBC SECTION 803.
- K. EXPOSED SURFACES OF DUCTWORK TO BE PAINTED TO MATCH ADJACENT SURFACES UNLESS NOTED OTHERWISE.
- L. REFER TO PROJECT MANUAL (CHECK) FOR FINISH LEVEL REQUIREMENTS FOR GYPSUM BOARD SURFACES UNLESS OTHERWISE INDICATED.

FINISH PLAN LEGEND:

P1	WALL FINISH
C1	FLOOR FINISH
B1	BASE FINISH
--	MISC FINISH INFORMATION


 FLOOR TRANSITION AS REQUIRED

 INDICATES DIRECTION OF MATERIAL GRAIN

----- INDICATES BULKHEADS OR OTHER OVERHEAD ITEMS (INCLUDED IN CONSTRUCTION CONTRACTS).

FINISH PLAN NOTES

- NO NEW FINISHES THIS ROOM UNLESS OTHERWISE NOTED.
- PAINT, P1, AND WALL BASE, B1, TO MATCH EXISTING.
- PAINT, W1, AND WALL BASE, B1, TO MATCH EXISTING.
- PAINT ALL SIDES OF BULKHEAD, P3.
- PAINT ALL SIDES OF BULKHEAD, P2. REFER TO REFLECTED CEILING PLANS.
- EXISTING TACKABLE WALL SURFACE TO REMAIN.



GIBALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:

**SWAYZEE ES
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION

405 S WASHINGTON ST,
SWAYZEE, IN, 46986



KEY PLAN




100% CONSTRUCTION
DOCUMENTS

GIBALTAR DESIGN

4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT
25-174
DATE
07/20/26
COORDINATED BY
DJW
DRAWN BY
ACE
CHECKED BY
CND DJW



COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS
MARK DATE ISSUED FOR
AD-02 08/07/21 ADDENDUM 02

DRAWING
UNIT "C" FIRST FLOOR FINISH
PLAN & FINISH LEGEND


PROJECT
SWAYZEE ES MECHANICAL
IMPROVEMENTS

© GIBALTAR
DESIGN

SHEET

C

A-803



PLAN LEGEND:

- INDICATES AREAS WHERE NO WORK ARCHITECTURAL WORK IS TO OCCUR.
- INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL.

DEMOLITION PLAN NOTES:

(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

- REMOVE EXISTING UNIT VENTILATOR IN ITS ENTIRETY. REFER TO MECHANICAL DRAWINGS.
- REMOVE EXISTING LOUVER IN ITS ENTIRETY. PATCH AND REPAIR WALL TO RECEIVE NEW INFILL.
- REMOVE EXISTING LAY-IN CEILING IN ITS ENTIRETY. SUPPORT EXISTING DEVICES FOR NEW CEILING.
- REMOVE SECTION OF EXISTING WOOD SHELVING TO INSTALL NEW VUV ON EXTERIOR WALL.
- REMOVE SUSPENDED ACOUSTICAL PADS AS REQUIRED TO INSTALL NEW DUCTWORK. TURN OVER TO OWNER. SUSPENDED PADS NOT REMOVED FOR DUCTWORK INSTALL TO REMAIN.
- REMOVE WALL FABRIC FROM PLASTER WALL IN ITS ENTIRETY. SKIMCOAT WALL. SET ASIDE FOR REINSTALL. PATCH AND REPAIR WALL TO RECEIVE NEW FINISHES.
- REMOVE EXISTING PROJECTOR SCREEN AND SET ASIDE FOR REINSTALL.
- REMOVE AND SET ASIDE EXISTING CEILING MOUNTED PROJECTOR FOR REINSTALL.
- REMOVE EXISTING WINDOW IN ITS ENTIRETY. INCLUDING INTERIOR WINDOW SILL AND APRON. PREPARE OPENING FOR NEW LOUVER.
- REMOVE PORTION OF EXISTING EXTERIOR MASONRY WALL FOR NEW LOUVER OPENING. COORDINATE EXACT SIZE OF OPENING WITH MECHANICAL TRADES.
- REMOVE EXISTING ROLLED LINOLEUM FLOOR AND WALL BASE IN ITS ENTIRETY. PREPARE SLAB FOR NEW FLOOR FINISHES.
- FROM FINISH FACE OF NEW UNIT VENTILATOR OR TO NEAREST JOINT, REMOVE EXISTING CARPET AND VINYL WALL BASE ALONG EXTERIOR WALL IN ITS ENTIRETY. PATCH AND REPAIR SLAB TO RECEIVE NEW ACCENT CARPET FINISH. ASSUME 3'-6" FROM FINISH WALL.
- FROM FINISH FACE OF NEW UNIT VENTILATOR OR TO NEAREST JOINT, REMOVE EXISTING VCT AND VINYL WALL BASE ALONG EXTERIOR WALL IN ITS ENTIRETY. PATCH AND REPAIR SLAB TO RECEIVE NEW ACCENT CARPET FINISH. ASSUME 3'-6" FROM FINISH WALL.
- CUT NEW OPENING IN ROOF FOR NEW RTU. REFER TO MECHANICAL. SEE DETAIL WA-001.
- REMOVE EXISTING VCT FLOOR IN ITS ENTIRETY TO EXTENTS INDICATED. PATCH AND REPAIR EXISTING SLAB TO RECEIVE NEW FINISHES.


AD-02

GENERAL DEMOLITION NOTES:

- A. FOR GENERAL PROJECT NOTES AND INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO G SERIES SHEETS.
- B. UNLESS NOTED OTHERWISE ON THIS SHEET, THE GENERAL CONTRACTOR IS RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL WORK INDICATED ON THIS SHEET.
- C. CONTRACTORS ENCOUNTERING EXISTING MATERIAL WHICH IS SUSPECTED OF CONTAINING ASBESTOS SHALL STOP WORK IMMEDIATELY AND NOTIFY THE OWNER AND THE OWNER'S REPRESENTATIVE.
- D. BOLD DASHED LINES INDICATE EXISTING ITEMS TO BE REMOVED UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR FIELD VERIFYING THE EXTENT OF DEMOLITION WORK PRIOR TO BIDDING AND FOR COORDINATING THE EXTENT OF DEMOLITION WITH THE INSTALLATION OF NEW SYSTEMS.
- E. EACH CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION APPLICABLE TO THEIR SCOPE OF WORK AND AS REQUIRED FOR INSTALLATION OF NEW WORK WHETHER OR NOT IT IS SPECIFICALLY INDICATED OR NOTED IN THESE DOCUMENTS.
- F. PRIOR TO STARTING DEMOLITION, CONSTRUCT DUST CONTROL BARRIERS TO PREVENT THE SPREAD OF DUST INTO SURROUNDING AREAS. (WHERE APPLICABLE)
- G. WHERE BUILDING EGRESS IS REQUIRED TO PASS THROUGH DEMOLITION AREAS, PROVIDE APPROVED BARRIERS, ETC. TO ENSURE SAFETY OF THE PUBLIC.
- H. RELOCATED ITEMS SHALL BE CLEANED AND PLACED IN STORAGE, PER OWNERS' DIRECTION, UNTIL ITEMS ARE READY TO BE INSTALLED. IF ITEMS ARE DAMAGED DURING DEMOLITION OR RELOCATION, THEY SHALL BE REPAIRED OR REPLACED WITH NEW ITEMS AS APPROVED.
- I. DEMOLITION SHALL BE PERFORMED WITHOUT DAMAGE TO EXISTING CONSTRUCTION TO REMAIN. WHERE SUCH DAMAGE OCCURS, PATCH, REPAIR, OR RESTORE WALLS, FLOORS, CEILING, ETC., NEATLY TO MATCH EXISTING ADJACENT SURFACE. PROVIDE SHORING, BRACING, OR SUPPORT TO PREVENT MOVEMENT OR SETTLEMENT OF EXISTING STRUCTURES.
- J. EACH CONTRACTOR IS RESPONSIBLE FOR CUTTING, PATCHING, AND DISCONNECTION OF ITEMS APPLICABLE TO THEIR SCOPE OF WORK. WHERE EXISTING SERVICES ARE ABANDONED, CAP AT LEAST 1" BEHIND NEW FINISHES AND/OR EXISTING SURFACE AND PATCH TO RECEIVE NEW FINISHES OR MATCH EXISTING FINISH.
- K. ON WALLS THAT ARE TO RECEIVE NEW FINISHES, REMOVE AND REINSTALL EXISTING EQUIPMENT TO REMAIN FOR INSTALLATION OF NEW FINISHES.
- L. WHERE WALLS OR BULKHEADS ARE REMOVED, PATCH FLOORS, CEILINGS, AND ADJACENT WALLS AS REQUIRED TO MATCH EXISTING OR RECEIVE NEW FINISHES WHERE APPLICABLE. WHERE EXISTING DUCTWORK, PIPING, OR EQUIPMENT IS REMOVED, PATCH OPENINGS AND/OR SURFACES TO MATCH ADJACENT SURFACES OR RECEIVE NEW FINISHES WHERE APPLICABLE. REFER TO ALL DEMOLITION DRAWINGS FOR EXTENT OF ITEMS TO BE REMOVED.
- M. OVER CUT NEW OPENINGS IN EXISTING WALL AS REQUIRED FOR NEW CONSTRUCTION. PATCH AND REPAIR WALLS TO MATCH EXISTING. WHERE APPLICABLE, TOOTH NEW MASONRY INTO EXISTING MASONRY.
- N. ALL EQUIPMENT AND FURNITURE WHICH ARE CONSIDERED LOOSE FURNISHING SHALL BE REMOVED BY THE OWNER PRIOR TO DEMOLITION.
- O. MASONRY WALLS TO BE REMOVED SHALL BE REMOVED TO A POINT 2" MINIMUM BELOW THE EXISTING FLOOR SLAB UNLESS SETTING ON A SLAB OR SPECIFICALLY NOTED OTHERWISE. PATCH WITH NEW CONCRETE TO BE FLUSH WITH THE EXISTING FLOOR SLAB.
- P. EACH CONTRACTOR SHALL BE RESPONSIBLE FOR GENERAL REVIEW OF DEMOLITION NOTES AND GENERAL DEMOLITION NOTES AS THEY APPLY TO THEIR SCOPE OF WORK.
- Q. THE OWNER SHALL RESERVE THE RIGHT TO CLAIM ANY MATERIALS THAT ARE BEING DEMOLISHED PRIOR TO THE CONTRACTOR DISPOSING OF THEM OFF SITE.
- R. REFER TO THE MECHANICAL AND ELECTRICAL DOCUMENTS FOR COMPLETE SCOPE OF DEMOLITION WORK.
- S. "FLOORING" DENOTES FLOOR COVERING MATERIALS INCLUDING BACKING, ADHESIVES, AND BASES DOWN TO BUT EXCLUSIVE OF FLOOR SLABS AND STRUCTURAL MATERIALS UNLESS NOTED OTHERWISE.
- T. DEMOLITION IS TO FOLLOW ESTABLISHED CONSTRUCTION SEQUENCE. REFER TO SPECIFICATIONS AND DRAWINGS FOR REQUIREMENTS AND SPECIAL CONDITIONS.
- U. WHERE APPLICABLE SALVAGE EXISTING MASONRY (FACE BRICK, GLAZED CMU, FACING TILE) FOR PATCHING AND INFILL IN RENOVATED AREAS WHERE INDICATED. DISCARD UNUSED PORTION OFF SITE.



PROJECT:
**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**
OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46208
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT
25-176
DATE
07/20/26
COORDINATED BY
DJW
DRAWN BY
CND
CHECKED BY
DJW CND

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS



MARK	DATE	ISSUED FOR
AD-02	08/07/26	ADDENDUM 02

DRAWING
**UNIT "A" ARCHITECTURAL
FIRST FLOOR DEMOLITION
PLAN**

PROJECT
OAK HILL JR HS MECHANICAL
IMPROVEMENTS

GIBRALTAR
DESIGN

SHEET
A AD101



AD-02

GENERAL DEMOLITION NOTES:

- FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO G SERIES SHEETS.
- UNLESS NOTED OTHERWISE ON THIS SHEET, THE GENERAL CONTRACTOR IS RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL WORK INDICATED ON THIS SHEET.
- CONTRACTORS ENCOUNTERING EXISTING MATERIAL WHICH IS SUSPECTED OF CONTAINING ASBESTOS SHALL STOP WORK IMMEDIATELY AND NOTIFY THE OWNER AND THE OWNERS REPRESENTATIVE.
- BOLD DASHED LINES INDICATE EXISTING ITEMS TO BE REMOVED UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR FIELD VERIFYING THE EXTENT OF DEMOLITION WORK PRIOR TO BIDDING AND FOR COORDINATING THE EXTENT OF DEMOLITION WITH THE INSTALLATION OF NEW SYSTEMS.
- EACH CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION APPLICABLE TO THEIR SCOPE OF WORK AND AS REQUIRED FOR INSTALLATION OF NEW WORK WHETHER OR NOT IT IS SPECIFICALLY INDICATED OR NOTED IN THESE DOCUMENTS.
- PRIOR TO STARTING DEMOLITION, CONSTRUCT DUST CONTROL BARRIERS TO PREVENT THE SPREAD OF DUST INTO SURROUNDING AREAS, (WHERE APPLICABLE).
- WHERE BUILDING EGRESS IS REQUIRED TO PASS THROUGH DEMOLITION AREAS, PROVIDE APPROVED BARRIERS, ETC. TO ENSURE SAFETY OF THE PUBLIC.
- RELOCATED ITEMS SHALL BE CLEANED AND PLACED IN STORAGE, PER OWNERS' DIRECTION, UNTIL ITEMS ARE READY TO BE INSTALLED. IF ITEMS ARE DAMAGED DURING DEMOLITION OR RELOCATION, THEY SHALL BE REPAIRED OR REPLACED WITH NEW ITEMS AS APPROVED.
- DEMOLITION SHALL BE PERFORMED WITHOUT DAMAGE TO EXISTING CONSTRUCTION TO REMAIN. WHERE SUCH DAMAGE OCCURS, PATCH, REPAIR, OR RESTORE WALLS, FLOORS, CEILING, ETC., NEATLY TO MATCH EXISTING ADJACENT SURFACE. PROVIDE SHORING, BRACING, OR SUPPORT TO PREVENT MOVEMENT OR SETTLEMENT OF EXISTING STRUCTURES.
- EACH CONTRACTOR IS RESPONSIBLE FOR CUTTING, PATCHING, AND DISCONNECTION OF ITEMS APPLICABLE TO THEIR SCOPE OF WORK. WHERE EXISTING SERVICES ARE ABANDONED, CAP AT LEAST 1" BEHIND NEW FINISHES AND/OR EXISTING SURFACE AND PATCH TO RECEIVE NEW FINISHES OR MATCH EXISTING FINISH.
- ON WALLS THAT ARE TO RECEIVE NEW FINISHES, REMOVE AND REINSTALL EXISTING EQUIPMENT TO REMAIN FOR INSTALLATION OF NEW FINISHES.
- WHERE WALLS OR BULKHEADS ARE REMOVED, PATCH FLOORS, CEILINGS, AND ADJACENT WALLS AS REQUIRED TO MATCH EXISTING OR RECEIVE NEW FINISHES WHERE APPLICABLE. WHERE EXISTING DUCTWORK, PIPING, OR EQUIPMENT IS REMOVED, PATCH OPENINGS AND/OR SURFACES TO MATCH ADJACENT SURFACES OR RECEIVE NEW FINISHES WHERE APPLICABLE. REFER TO ALL DEMOLITION DRAWINGS FOR EXTENT OF ITEMS TO BE REMOVED.
- OVER CUT NEW OPENINGS IN EXISTING WALL AS REQUIRED FOR NEW CONSTRUCTION. PATCH AND REPAIR WALLS TO MATCH EXISTING. WHERE APPLICABLE, TOOTH NEW MASONRY INTO EXISTING MASONRY.
- ALL EQUIPMENT AND FURNITURE WHICH ARE CONSIDERED LOOSE. FURNISHING SHALL BE REMOVED BY THE OWNER PRIOR TO DEMOLITION.
- MASONRY WALLS TO BE REMOVED SHALL BE REMOVED TO A POINT 2" MINIMUM BELOW THE EXISTING FLOOR SLAB UNLESS SETTING ON A SLAB OR SPECIFICALLY NOTED OTHERWISE. PATCH WITH NEW CONCRETE TO BE FLUSH WITH THE EXISTING FLOOR SLAB.
- EACH CONTRACTOR SHALL BE RESPONSIBLE FOR GENERAL REVIEW OF DEMOLITION NOTES AND GENERAL DEMOLITION NOTES AS THEY APPLY TO THEIR SCOPE OF WORK.
- THE OWNER SHALL RESERVE THE RIGHT TO CLAIM ANY MATERIALS THAT ARE BEING DEMOLISHED PRIOR TO THE CONTRACTOR DISPOSING OF THEM OFF SITE.
- REFER TO THE MECHANICAL AND ELECTRICAL DOCUMENTS FOR COMPLETE SCOPE OF DEMOLITION WORK.
- "FLOORING" DENOTES FLOOR COVERING MATERIALS INCLUDING BACKING, ADHESIVES, AND BASES DOWN TO BUT EXCLUSIVE OF FLOOR SLABS AND STRUCTURAL MATERIALS UNLESS NOTED OTHERWISE.
- DEMOLITION IS TO FOLLOW ESTABLISHED CONSTRUCTION SEQUENCE. REFER TO SPECIFICATIONS AND DRAWINGS FOR REQUIREMENTS AND SPECIAL CONDITIONS.
- WHERE APPLICABLE SALVAGE EXISTING MASONRY (FACE BRICK, GLAZED CMU, FACING TILE) FOR PATCHING AND INFILL IN RENOVATED AREAS WHERE INDICATED. DISCARD UNUSED PORTION OFF SITE.

PLAN LEGEND:

- INDICATES AREAS WHERE NO WORK ARCHITECTURAL WORK IS TO OCCUR.
- INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL.

DEMOLISHION PLAN NOTES:

(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

- REMOVE EXISTING UNIT VENTILATOR IN ITS ENTIRETY. REFER TO MECHANICAL DRAWINGS.
- REMOVE EXISTING LOUVER IN ITS ENTIRETY. PATCH AND REPAIR WALL TO RECEIVE NEW INFILL.
- REMOVE EXISTING LAY-IN CEILING IN ITS ENTIRETY. SUPPORT EXISTING DEVICES FOR NEW CEILING.
- REMOVE SECTION OF EXISTING WOOD SHELIVING TO INSTALL NEW VUV ON EXTERIOR WALL.
- REMOVE SUSPENDED ACOUSTICAL PADS AS REQUIRED TO INSTALL NEW DUCTWORK. TURN OVER TO OWNER. SUSPENDED PADS NOT REMOVED FOR DUCTWORK INSTALL TO REMAIN.
- REMOVE WALL FABRIC FROM PLASTER WALL IN ITS ENTIRETY. SKIMCOAT WALL.
- DEMOUNT EXISTING MARKERBOARD FROM CHALKBOARD, SET ASIDE FOR REINSTALL.
- REMOVE EXISTING MARKERBOARD/CHALKBOARD/TACKBOAR IN ITS ENTIRETY. SET ASIDE FOR REINSTALL. PATCH AND REPAIR WALL TO RECEIVE NEW FINISHES.
- REMOVE EXISTING PROJECTOR SCREEN AND SET ASIDE FOR REINSTALL.
- REMOVE AND SET ASIDE EXISTING CEILING MOUNTED PROJECTOR FOR REINSTALL.
- REMOVE EXISTING WINDOW IN ITS ENTIRETY. INCLUDING INTERIOR WINDOW SILL AND APRON. PREPARE OPENING FOR NEW LOUVER.
- REMOVE PORTION OF EXISTING EXTERIOR MASONRY WALL FOR NEW LOUVER OPENING. COORDINATE EXACT SIZE OF OPENING WITH MECHANICAL TRADES.
- REMOVE EXISTING ROLLED LINOLEUM FLOOR AND WALL BASE IN ITS ENTIRETY. PREPARE SLAB FOR NEW FLOOR FINISHES.
- FROM FINISH FACE OF NEW UNIT VENTILATOR OR TO NEAREST JOINT, REMOVE EXISTING CARPET AND VINYL WALL BASE ALONG EXTERIOR WALL IN ITS ENTIRETY. PATCH AND REPAIR SLAB TO RECEIVE NEW ACCENT CARPET FINISH. ASSUME 3'-6" FROM FINISH WALL.
- FROM FINISH FACE OF NEW UNIT VENTILATOR OR TO NEAREST JOINT, REMOVE EXISTING VCT AND VINYL WALL BASE ALONG EXTERIOR WALL IN ITS ENTIRETY. PATCH AND REPAIR SLAB TO RECEIVE NEW ACCENT CARPET FINISH. ASSUME 3'-6" FROM FINISH WALL.
- CUT NEW OPENING IN ROOF FOR NEW RTU. REFER TO MECHANICAL. SEE DETAIL 910-401.
- REMOVE EXISTING VCT FLOOR IN ITS ENTIRETY TO EXTENTS INDICATED. PATCH AND REPAIR EXISTING SLAB TO RECEIVE NEW FINISHES.

AD-02

GIBRALTAR
DESIGN
ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:
**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**
OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919

KEY PLAN

100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT
25-176
DATE
07/20/26
COORDINATED BY
DJW
DRAWN BY
CND
CHECKED BY
DJW CND

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WILL BE USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS
MARK DATE ISSUED FOR
AD-02 08/07/26 ADDENDUM 02

DRAWING
UNIT "B" ARCHITECTURAL
FIRST FLOOR DEMOLITION
PLAN

PROJECT
OAK HILL JR HS MECHANICAL
IMPROVEMENTS

© GIBRALTAR
DESIGN
A

SHEET
AD102



PLAN LEGEND:

- INDICATES AREAS WHERE NO WORK ARCHITECTURAL WORK IS TO OCCUR.
- INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL.

ARCHITECTURAL PLAN NOTES:

(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)


1. NEW VUV. REFER TO MECHANICAL DRAWINGS.
2. NEW LOUVER IN EXISTING WALL.
3. NEW LOUVER IN EXISTING WINDOW OPENING.
4. DASHED LINE INDICATES BULKHEAD ABOVE. REFER TO CEILING PLANS.
5. WHERE EXISTING LOUVER WAS REMOVED, PROVIDE NEW 7'-0" X 2'-4" LIMESTONE PANEL AND INFILL WALL. FIELD VERIFY EXISTING LOUVER SIZE. SEE 1/A-501.
6. WHERE EXISTING LOUVER WAS REMOVED, PROVIDE NEW 9'-0" X 2'-4" LIMESTONE PANEL AND INFILL WALL. FIELD VERIFY EXISTING LOUVER SIZE. SEE 1/A-501.
7. VUV FALSE BACK PANEL.
8. SKIMCOAT PLASTER WALL FROM FLOOR TO FINISH CEILING.
9. REINSTALL MARKERBOARD DISMOUNTED FROM EXISTING CHALKBOARD DISCARDED.
10. REINSTALL WALL MOUNTED PROJECTION SCREEN.
11. REINFORCE EXISTING STEEL JOISTS FOR NEW RTU UNIT AND NEW MECHANICAL ROOF CURB. SEE DETAILS 2/A-500 AND 2/A-501.
12. STOP BULKHEAD BEFORE EXISTING EMERGENCY SHOWER TO REMAIN.

GENERAL PLAN NOTES:

- A. FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO G-SERIES SHEETS.
- B. PLAN DIMENSIONS TO MASONRY WALLS ARE TO FACE OF ROUGH MASONRY. PLAN DIMENSIONS TO STUD WALLS ARE TO FACE OF FINISHED GYPSUM BOARD OR PLASTER. PLAN DIMENSIONS TO STUD WALLS WITH CERAMIC TILE FINISH ARE TO THE FACE OF TILE BACKER BOARD.
- C. ALL CMU WALLS THAT DO NOT LAY OUT IN FULL OR HALF LENGTHS SHOULD BE BALANCED SO AS NOT TO HAVE ANY PIECES LESS THAN 4" IN SIZE EXPOSED TO VIEW.
- D. MASONRY WALLS BEARING ON A THICKENED SLAB AT SLAB DEPRESSIONS REQUIRE CUT MASONRY UNITS SO THAT COURSING BEGINS AT THE FLOOR LINE.
- E. THE BASE FIRST FLOOR ELEVATION INDICATED FOR THE PROJECT IS 100'-0". REFER TO SITE PLAN FOR CORRELATION TO USGS DATUM.
- F. HINGE SIDE OF DOOR JAMB AT CMU WALLS SHALL BE LOCATED 8" MINIMUM FROM ADJACENT WALL AND HINGE SIDE OF DOOR JAMB AT GYPSUM BOARD WALLS SHALL BE LOCATED 4" MINIMUM FROM ADJACENT WALL UNLESS NOTED OTHERWISE.
- G. VERIFY MOUNTING HEIGHTS OF ACCESSORIES, EQUIPMENT, CASEWORK, ETC. AND PROVIDE FIRE TREATED WOOD BLOCKING (OR METAL STRAPPING WHERE INDICATED) WITHIN METAL STUD WALLS FOR ALL WALL MOUNTED ITEMS.
- H. REFER TO LIFE SAFETY PLANS REGARDING FIRE RATED WALL LOCATIONS AND OTHER CODE INFORMATION.
- I. INTERIOR CMU WALLS ARE TO BE RUNNING BOND UNLESS NOTED OTHERWISE.
- J. WHERE NEW CMU WALLS INTERSECT EXISTING CMU WALLS AT A CORNER OR ARE ALIGNED WITH EXISTING CMU WALLS, TOOTH NEW CMU INTO EXISTING CMU UNLESS NOTED OTHERWISE.
- K. REFER TO DEMOLITION SHEETS FOR ADDITIONAL PATCHING AND REPAIR WORK.
- L. ALL EXPOSED CONCRETE MASONRY UNITS (CMU) CORNERS ARE TO BE BULLNOSED, EXCEPT AT MASONRY BULKHEADS AND EXTERIOR WINDOW JAMBS.
- M. PROVIDE SEALANT BETWEEN DISSIMILAR MATERIALS SUCH AS GYPSUM BOARD, MASONRY AND CONCRETE, COUNTERTOPS AND WALLS, ETC.
- N. REFER TO FINISH PLANS FOR INTERIOR ELEVATIONS, LOCATION, AND EXTENT OF FINISHED FLOOR AND WALL MATERIAL.
- O. REFER TO EQUIPMENT PLANS FOR CASEWORK, DISPLAY BOARDS, LOCKERS, AND OTHER ADDITIONAL TYPICAL EQUIPMENT NOTES AND INFORMATION.
- P. REFER TO A-140 FOR REFERENCE TO ENLARGED TOILET ROOM PLANS AND TOILET ACCESSORIES.



PROJECT:
**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**
OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT
25-176
DATE
07/20/26
COORDINATED BY
DJW
DRAWN BY
CND
CHECKED BY
DJW CND

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON
THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN
AND VEEBEE CREATED FOR USE ON THIS SPECIFIC PROJECT.
NONE OF THIS INFORMATION SHALL BE USED BY ANY
PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS
WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY
REMAIN COPIES FOR INFORMATION AND REFERENCE IN
CONNECTION ONLY WITH THIS PROJECT.

REVISIONS
MARK DATE ISSUED FOR
AD-02 08/07/26 ADDENDUM 02


DRAWING
UNIT "A" ARCHITECTURAL
FIRST FLOOR PLAN

PROJECT
OAK HILL JR HS MECHANICAL
IMPROVEMENTS

DRAWING
A
A-101

UNIT "B" FIRST FLOOR UNIT PLAN

1
A-102
1/8" = 1'-0"



GENERAL PLAN NOTES:

- A. FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO G-SERIES SHEETS.
- B. PLAN DIMENSIONS TO MASONRY WALLS ARE TO FACE OF ROUGH MASONRY. PLAN DIMENSIONS TO STUD WALLS ARE TO FACE OF FINISHED GYPSUM BOARD OR PLASTER. PLAN DIMENSIONS TO STUD WALLS WITH CERAMIC TILE FINISH ARE TO THE FACE OF TILE BACKER BOARD.
- C. ALL CMU WALLS THAT DO NOT LAY OUT IN FULL OR HALF LENGTHS SHOULD BE BALANCED SO AS NOT TO HAVE ANY PIECES LESS THAN 4" IN SIZE EXPOSED TO VIEW.
- D. MASONRY WALLS BEARING ON A THICKENED SLAB AT SLAB DEPRESSIONS REQUIRE CUT MASONRY UNITS SO THAT COURSING BEGINS AT THE FLOOR LINE.
- E. THE BASE FIRST FLOOR ELEVATION INDICATED FOR THE PROJECT IS 100'-0". REFER TO SITE PLAN FOR CORRELATION TO USGS DATUM.
- F. HINGE SIDE OF DOOR JAMB AT CMU WALLS SHALL BE LOCATED 8" MINIMUM FROM ADJACENT WALL AND HINGE SIDE OF DOOR JAMB AT GYPSUM BOARD WALLS SHALL BE LOCATED 4" MINIMUM FROM ADJACENT WALL UNLESS NOTED OTHERWISE.
- G. VERIFY MOUNTING HEIGHTS OF ACCESSORIES, EQUIPMENT, CASEWORK, ETC. AND PROVIDE FIRE TREATED WOOD BLOCKING (OR METAL STRAPPING WHERE INDICATED) WITHIN METAL STUD WALLS FOR ALL WALL MOUNTED ITEMS.
- H. REFER TO LIFE SAFETY PLANS REGARDING FIRE RATED WALL LOCATIONS AND OTHER CODE INFORMATION.
- I. INTERIOR CMU WALLS ARE TO BE RUNNING BOND UNLESS NOTED OTHERWISE.
- J. WHERE NEW CMU WALLS INTERSECT EXISTING CMU WALLS AT A CORNER OR ARE ALIGNED WITH EXISTING CMU WALLS, TOOTH NEW CMU INTO EXISTING CMU UNLESS NOTED OTHERWISE.
- K. REFER TO DEMOLITION SHEETS FOR ADDITIONAL PATCHING AND REPAIR WORK.
- L. ALL EXPOSED CONCRETE MASONRY UNITS (CMU) CORNERS ARE TO BE BULLNOSED, EXCEPT AT MASONRY BULKHEADS AND EXTERIOR WINDOW JAMBS.
- M. PROVIDE SEALANT BETWEEN DISSIMILAR MATERIALS SUCH AS GYPSUM BOARD, MASONRY AND CONCRETE, COUNTERTOPS AND WALLS, ETC.
- N. REFER TO FINISH PLANS FOR INTERIOR ELEVATIONS, LOCATION, AND EXTENT OF FINISHED FLOOR AND WALL MATERIAL.
- O. REFER TO EQUIPMENT PLANS FOR CASEWORK, DISPLAY BOARDS, LOCKERS, AND OTHER ADDITIONAL TYPICAL EQUIPMENT NOTES AND INFORMATION.
- P. REFER TO A-101 FOR REFERENCE TO ENLARGED TOILET ROOM PLANS AND TOILET ACCESSORIES.

PLAN LEGEND:

- INDICATES AREAS WHERE NO WORK ARCHITECTURAL WORK IS TO OCCUR.
- INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL.

ARCHITECTURAL PLAN NOTES:


(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

- NEW VLV. REFER TO MECHANICAL DRAWINGS.
- NEW LOUVER IN EXISTING WALL.
- NEW LOUVER IN EXISTING WINDOW OPENING.
- DASHED LINE INDICATES BULKHEAD ABOVE. REFER TO CEILING PLANS.
- WHERE EXISTING LOUVER WAS REMOVED, PROVIDE NEW 7'-0" X 2'-4" LIMESTONE PANEL AND INFILL WALL. FIELD VERIFY EXISTING LOUVER SIZE. SEE 1/A-501.
- WHERE EXISTING LOUVER WAS REMOVED, PROVIDE NEW 9'-0" X 2'-4" LIMESTONE PANEL AND INFILL WALL. FIELD VERIFY EXISTING LOUVER SIZE. SEE 1/A-501.
- VLV FALSE BACK PANEL.
- SKIMCOAT PLASTER WALL FROM FLOOR TO FINISH CEILING.
- REINSTALL MARKERBOARD DISMOUNTED FROM EXISTING CHALKBOARD DISCARDED.
- REINSTALL WALL MOUNTED PROJECTION SCREEN.
- REINFORCE EXISTING STEEL JOISTS FOR NEW RTU UNIT AND NEW MECHANICAL ROOF CURB. SEE DETAILS A/A-201 AND A/A-201.
- STOP BULKHEAD BEFORE EXISTING EMERGENCY SHOWER TO REMAIN.



PROJECT:

OAK HILL JR HS
MECHANICAL
IMPROVEMENTS
OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT

25-176

DATE

07/20/26

COORDINATED BY

DJW

DRAWN BY

CND

CHECKED BY

DJW CND

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK DATE ISSUED FOR

AD-02 08/07/26 ADDENDUM 02

DRAWING
UNIT "B" ARCHITECTURAL
FIRST FLOOR PLAN

PROJECT
OAK HILL JR HS MECHANICAL
IMPROVEMENTS

© GIBRALTAR
DESIGN

SHEET

B

A-102



GIBRALTAR
DESIGN

ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:

**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION


7760 DELPHI PIKE,
CONVERSE, IN, 46919

GENERAL ELEVATION NOTES:

- REFER TO FLOOR PLANS FOR EXTERIOR WALL SECTIONS CUTS, UNLESS INDICATED OTHERWISE.
- FOR LOCATION AND MOUNTING HEIGHTS OF CAMERAS, SPEAKERS, LIGHTS, HORNS, ETC. REFER TO ELECTRICAL AND TECHNOLOGY DRAWINGS.
- ALL NEW FACE BRICK SHALL BE MODULAR RUNNING BOND UNLESS NOTED OTHERWISE.
- FINISH GRADE INDICATES ON ELEVATIONS ARE FOR DRAWING PURPOSES ONLY. COORDINATE STEPPED FLASHING WITH ACTUAL GRADES FOR CELL VENTS TO BE ABOVE GRADE.
- STEP BRICK LEDGE DOWN FOR LEDGE TO BE BELOW GRADE OR CONCRETE WALK. COORDINATE WITH CIVIL DRAWINGS.

ELEVATION NOTES:

- (ALL ELEVATION NOTES MAY NOT BE INDICATED ON THIS SHEET)
- APPROXIMATE FINISH GRADE.
- ALUMINUM LOUVER SET IN ALUMINUM STOREFRONT ASSEMBLY. REFER TO MECHANICAL DRAWINGS.
 - NEW LOUVER IN EXISTING WINDOW OPENING. EXISTING ROUGH OPENING 4'-0" WIDE X 4'-4 5/8" TALL. FIELD VERIFY.
 - NEW LOUVER IN EXISTING WINDOW OPENING. EXISTING ROUGH OPENING 4'-0" X 4'-0" FIELD VERIFY.
 - CUT STONE PANEL INFILL.
 - NEW LOUVER IN EXISTING WALL. REFER TO MECHANICAL.
 - EXISTING WINDOW LINTEL TO REMAIN.
 - CUT STONE LINTEL.
 - UNIT VENT CONDENSATE LINE. ROUTE THROUGH LIMESTONE PANEL JOINTS. ONLY ON EDGES ONLY.
 - EXISTING WINDOW SYSTEM TO REMAIN.
 - EXISTING FACE BRICK TO REMAIN.
 - EXISTING MODULAR ASHLAR STONE TO REMAIN.
 - EXISTING LIMESTONE BAND TO REMAIN.
 - EXISTING COPING TO REMAIN.



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT
25-176
DATE
07/20/26
COORDINATED BY
Designer
DRAWN BY
Author
CHECKED BY
Checker

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGNS, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS
MARK DATE ISSUED FOR
AD-02 08/07/26 ADDENDUM 02



DRAWING
EXTERIOR ELEVATIONS

PROJECT
OAK HILL JR HS MECHANICAL
IMPROVEMENTS














© GIBRALTAR
DESIGN

SHEET

A-310



8/6/2026 2:05:04 PM
C:\Users\cdavis\Documents\25-176 Junior High - ARCH P25_cdv\25-176 Junior High - ARCH P25_cdv\3JM9.rvt



GIBRALTAR
DESIGN
ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:
OAK HILL JR HS MECHANICAL IMPROVEMENTS
OAK HILL UNITED SCHOOL CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919

KEY PLAN

100% CONSTRUCTION DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT
25-176
DATE
07/20/26
COORDINATED BY
DJW
DRAWN BY
CND
CHECKED BY
DJW CND

DALE J. WAGNER
REGISTERED
NO. 19600171
STATE OF INDIANA
ARCHITECT

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS
MARK DATE ISSUED FOR
AD-02 08/07/26 ADDENDUM 02

DRAWING DETAILS

PROJECT
OAK HILL JR HS MECHANICAL IMPROVEMENTS

© GIBRALTAR DESIGN SHEET
A-501



UNIT "A" FIRST FLOOR FINISH PLAN
1
A-801 1/8" = 1'-0"

GENERAL FINISH NOTES:

- REFERENCE FINISH LEGEND FOR FINISH INFORMATION.
- REFERENCE FLOOR PATTERN PLANS, EQUIPMENT PLANS, INTERIOR ELEVATIONS, REFLECTED CEILING PLANS AND WRITTEN SPECIFICATIONS FOR ADDITIONAL FINISH INFORMATION.
- PRIOR TO INSTALLATION OF NEW FINISHES CONTRACTOR SHALL INSPECT ALL SUBSTRATES. IF A SUBSTRATE IS DEEMED UNACCEPTABLE THE CONTRACTOR SHALL TAKE THE NECESSARY STEPS TO RECTIFY THE SITUATION OR CONTACT THE ARCHITECT WITH THE CONCERN. PROCEEDING WITH THE INSTALLATION OF FINISHES WILL BE CONSIDERED THAT THE INSTALLER AND/OR FINISHER HAS ACCEPTED SAID SUBSTRATE. NO CHANGE ORDER WILL BE ISSUED TO RECTIFY CONCEALED, OR UNSATISFACTORY SUBSTRATE ONCE FINISH WORK HAS PROCEEDED.
- PREPARE ALL WALL CONSTRUCTION, NEW AND EXISTING, TO RECEIVE NEW FINISHES AS PER MANUFACTURE'S RECOMMENDED INSTALLATION METHODS AND MATERIALS FOR ALL FINISHES.
- ALL FLOORING IS TO BE LEVELED WITHIN 1/4" IN 10'-0" WITH LATEX MATERIAL. MOISTURE CONTENT IN AREA IS TO BE TESTED PRIOR TO INSTALLATION OF FLOORING MATERIAL. CONTRACTOR TO INSTALL FLOORING PER MANUFACTURER'S RECOMMENDED METHOD.
- FLOORING CONTRACTOR TO SUBMIT A SEAMING DIAGRAM FOR FLOORING MATERIAL INCLUDING NOTATION OF MATERIAL DIRECTION.
- ALL FLOORING TRANSITIONS SHALL COMPLY WITH ADA GUIDELINES.
- ALL FLOOR FINISH TRANSITIONS AT DOORS SHALL BE CENTERED UNDER DOOR UNLESS NOTED OTHERWISE.
- ALL EXPOSED METAL SURFACES, SUCH AS GRILLES, FIRE EXTINGUISHER CABINETS, ETC. THAT ARE NOTED TO BE PAINTED, SHALL BE PAINTED WITH ALKID TYPE PAINT. COLOR TO BE COORDINATED WITH DESIGNER UNLESS OTHERWISE NOTED.
- CONTRACTOR TO PROVIDE AND INSTALL FLOORING TRANSITIONS AS INDICATED ON THE FLOOR PATTERN PLANS. WHERE NONE ARE NOTED, CONTRACTOR SHALL VERIFY REQUIRED TYPE/COLOR WITH ARCHITECT.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO VERIFY THAT ALL NEW INTERIOR WALL AND CEILING FINISHES WILL BE CLASS B MINIMUM, WITH A FLAME SPREAD RATING OF 75 MAXIMUM, AND A SMOKE DEVELOPED INDEX OF 450 MAXIMUM, PER IBC SECTION 903.
- EXPOSED SURFACES OF DUCTWORK TO BE PAINTED TO MATCH ADJACENT SURFACES UNLESS NOTED OTHERWISE.
- REFER TO PROJECT MANUAL (CHECK) FOR FINISH LEVEL REQUIREMENTS FOR GYPSUM BOARD SURFACES UNLESS OTHERWISE INDICATED.

FINISH PLAN LEGEND:

P1	WALL FINISH
C1	FLOOR FINISH
B1	BASE FINISH
--	MISC FINISH INFORMATION

✕ FLOOR TRANSITION AS REQUIRED

↔ INDICATES DIRECTION OF MATERIAL GRAIN

--- INDICATES BULKHEADS OR OTHER OVERHEAD ITEMS (INCLUDED IN CONSTRUCTION CONTRACTS)

FINISH PLAN NOTES

- NO NEW FINISHES THIS ROOM.
- PAINT, P1, AND WALL BASE, B1, TO MATCH EXISTING
- STOP NEW VCT AT EXISTING VCT PATTERN. VERIFY ALL DIMENSIONS IN FIELD.
- PAINT ALL SIDES OF BULKHEAD, P2. REFER TO REFLECTED CEILING PLANS.
- PAINT ALL SIDES OF BULKHEAD, P3.
- PATCH EXISTING VCT WHERE HUV WAS REMOVED.



GIBALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:

**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION

7760 DELPHI PIKE,
CONVERSE, IN, 46919



KEY PLAN

100% CONSTRUCTION
DOCUMENTS

GIBALTAR DESIGN

4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT

25-176

DATE

07/20/26

COORDINATED BY

DJW

DRAWN BY

ACE

CHECKED BY

CND DJW

COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NO PART OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK	DATE	ISSUED FOR
AD-02	08/07/26	ADDENDUM 02

MARK

DATE

ISSUED FOR

AD-02

08/07/26

ADDENDUM 02

DRAWING

UNIT "A" FIRST FLOOR FINISH

PLAN

PROJECT


OAK HILL JR HS MECHANICAL
IMPROVEMENTS

© GIBALTAR
DESIGN

SHEET

A

A-801





1
A-902
UNIT "B" FIRST FLOOR REFLECTED CEILING PLAN
1/8" = 1'-0"

GENERAL REFLECTED CEILING NOTES:

A. FOR GENERAL PROJECT NOTES, MATERIAL INDICATIONS LEGEND, SYMBOL LEGEND, ABBREVIATIONS, ETC., REFER TO SHEET G-301.

B. THE ARCHITECTURAL REFLECTED CEILING PLANS GOVERN THE LAYOUT OF ALL CEILING ELEMENTS AND PENETRATIONS.

C. BULKHEAD FRAMING SHALL BE ATTACHED TO STRUCTURAL SUPPORTS AND NOT THE ROOF DECK.

D. REFER TO FLOOR PLANS FOR WALL TYPES.

E. REFER TO FIRE PROTECTION DRAWINGS FOR SPRINKLER HEAD TYPES AND QUANTITIES. HEADS HAVE INTENTIONALLY BEEN OMITTED FOR CLARITY.

F. CEILING ACCESS PANELS INDICATED ARE NOT INTENDED TO LIMIT NUMBER OF PANELS REQUIRED. PANEL QUANTITY SHALL BE SUFFICIENT TO PROVIDE REQUIRED ACCESS, WHETHER OR NOT INDICATED ON THE DRAWINGS. VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO STARTING WORK.

G. REFER TO ELECTRICAL DRAWINGS FOR LIGHT FIXTURE TYPE AND QUANTITIES.

H. REFER TO MECHANICAL DRAWINGS FOR DIFFUSERS, GRILL TYPES AND QUANTITIES - ALL MECHANICAL ITEMS MAY NOT BE INDICATED ON THIS SHEET.

I. REFER TO TECHNOLOGY DRAWINGS FOR ADDITIONAL CEILING MOUNTED TECHNOLOGY ITEMS.

J. REFER TO FINISH PLANS AND INTERIOR ELEVATIONS FOR PAINT COLORS.

CEILING LEGEND

	ACT-1		LIGHT FIXTURE
	ACT-2		SUPPLY AIR DIFFUSER
	GWB - GYPSUM BOARD CEILING OR BULKHEAD. REFER TO TYPICAL BULKHEAD DETAILS AND WALL SECTIONS		RETURN / RELIEF REGISTER
			OCCUPANCY SENSOR
			CEILING SPEAKER
			CEILING VIDEO PROJECTOR

PLAN LEGEND:

INDICATES AREAS WHERE NO WORK ARCHITECTURAL WORK IS TO OCCUR.

INDICATES EXISTING ROOM NUMBER AS IT APPEARS ON EXISTING DOOR OR WALL.

REFLECTED CEILING PLAN NOTES:
(ALL PLAN NOTES MAY NOT BE INDICATED ON THIS SHEET.)

1. NEW VUV WITH METAL SHROUD FROM TOP OF UNIT TO CEILING. REFER TO MECHANICAL DRAWINGS.
2. NEW CEILING GRID AND PADS. EXISTING CEILING DEVICES TO REMAIN.
3. GYPSUM BOARD BULKHEAD TO BE PARALLEL TO EXTERIOR WALL. BULKHEAD TO BE WIDTH INDICATED.
4. NEW ACT GRID TO BE ALIGNED TO EXTERIOR WALL.
5. LINE INDICATES BREAK POINT IN CEILING GRID WHERE EXTERIOR WALL AND CORRIDOR WALL CHANGE ANGLES. RUN GRID MAIN AT THIS LOCATION TO BREAK ACT CEILING INTO TWO GRIDS. LOCATION IS UNDER A WIDE FLANGE BEAM THAT RUNS BETWEEN EXTERIOR AND CORRIDOR WALL.
6. AT NARROW POINT WHERE BREAKLINE SEPARATES TWO GRIDS, USE MINIMUM 6" WIDTH TILE.
7. AT EDGES OF GRID WHERE TILE WOULD BE CUT TO LESS THAN 3" WIDE, USE A LARGER TILE IN LIEU OF CUTTING SLIVERS.
8. VUV FALSE BACK PANEL.
9. RELOCATE EXISTING LIGHT FIXTURE TO AVOID CONFLICT WITH NEW BULKHEAD. REFER TO ELECTRICAL.
10. EXISTING BULKHEAD TO REMAIN.
11. STOP BULKHEAD AT EDGE OF INDICATED WINDOW TO AVOID CONFLICT WITH CEILING MOUNTED DATA RACK.
12. EXISTING HOLLOW METAL WINDOW TO REMAIN. HOLD BULKHEAD BACK FROM WINDOW.
13. STOP BULKHEAD TO AVOID CONFLICT WITH EXISTING EMERGENCY SHOWER TO REMAIN.

AD-02

GENERAL SHEET REVISIONS

MODIFICATION OCCUPANCY SENSORS QUANTITY AND LOCATIONS. REFER ALSO TO ELECTRICAL SHEETS

GIBRALTAR DESIGN
ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

PROJECT:
OAK HILL JR HS MECHANICAL IMPROVEMENTS
OAK HILL UNITED SCHOOL CORPORATION
7760 DELPHI PIKE, CONVERSE, IN, 46919

KEY PLAN

100% CONSTRUCTION DOCUMENTS

GIBRALTAR DESIGN
4030 Vincennes Rd., Ste. 100
Indianapolis, IN 46226
Homepage: www.GibraltarDesign.com
Phone 317.580.5777

PROJECT 25-176
DATE 07/20/26
COORDINATED BY DJW
DRAWN BY CND
CHECKED BY DJW CND

DALE J. WADSWORTH
REGISTERED PROFESSIONAL ENGINEER
NO. 19600171
STATE OF INDIANA


COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS		
MARK	DATE	ISSUED FOR
AD-01	07/31/26	ADDENDUM 01
AD-02	08/07/26	ADDENDUM 02

DRAWING
UNIT "B" ARCHITECTURAL
FIRST FLOOR PLAN

PROJECT
OAK HILL JR HS MECHANICAL IMPROVEMENTS

© GIBRALTAR DESIGN	SHEET
B	A-902



- SHEET NOTES
1.

EXTEND CONDENSATE PIPING FROM UNIT THRU WALL. SLEEVE AND SEAL PIPE THROUGH WALL PENETRATION WEATHERTIGHT. SEE DETAIL ON SHEET M-501 FOR ADDITIONAL INFORMATION.
2.

PROVIDE NEW TEMPERATURE CONTROL PANEL AND ASSOCIATED CONTROLS. ELECTRICAL CONNECTIONS, ETC. COMPLETE AS REQUIRED.
3.


PROVIDE NEW DDC CONTROLS, ACTUATOR, THERMOSTAT, WIRING ETC. ON EXISTING VVT BOX COMPLETE AS REQUIRED. PROGRAM SEQUENCE, SCHEDULE, AND ALARMS COMPLETE AS REQUIRED AND TEST OPERATION. TEST AND BALANCE VVT BOX TO EXISTING MAXIMUM AND MINIMUM AIRFLOWS TESTED BEFORE WORK BEGAN.
4.

PROVIDE NEW DDC CONTROLS, ACTUATOR, THERMOSTAT, WIRING ETC. ON EXISTING VAV BOX COMPLETE AS REQUIRED. PROGRAM SEQUENCE, SCHEDULE, AND ALARMS COMPLETE AS REQUIRED AND TEST OPERATION. TEST AND BALANCE VAV BOX TO EXISTING MAXIMUM AND MINIMUM AIRFLOWS TESTED BEFORE WORK BEGAN.

PROJECT:

OAK HILL JR HS
MECHANICAL
IMPROVEMENTS

OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN. 46919



100% CONSTRUCTION
DOCUMENTS

GIBALTAR DESIGN

9102 N. Meridian St., Ste. 300
Indianapolis, IN 46260
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone 317-580.5777 Fax 317-580.5778

PROJECT
25-176
DATE
07/20/26
COORDINATED BY
JC
DRAWN BY
TH
CHECKED BY
DJ



COPYRIGHT NOTICE:
THE CONCEPT, DESIGN, PLANS, DETAILS, ETC. SHOWN ON
THIS DOCUMENT ARE THE PROPERTY OF GIBALTAR DESIGN
AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT.
NO PART OF THIS INFORMATION SHALL BE USED BY ANY
PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS
WRITTEN CONSENT OF GIBALTAR DESIGN. THE OWNER MAY
RETAIN COPIES FOR INFORMATION AND REFERENCE IN
CONNECTION ONLY WITH THIS PROJECT.

REVISIONS	
MARK	DATE
AD-01	07/31/26
AD-02	08/07/26

ISSUED FOR
ADDENDUM 01
ADDENDUM 02

DRAWING
UNIT "A" FIRST FLOOR
MECHANICAL HVAC FLOOR
PLAN


PROJECT
OAK HILL JR HS MECHANICAL
IMPROVEMENTS

© GIBALTAR
DESIGN

SHEET

A

M-101



1
ED102
UNIT "B" FIRST FLOOR ELECTRICAL DEMOLITION PLAN
1/8" = 1'-0"

DEMOLITION NOTES

- COORDINATE PHASING OF WORK AND PROVIDE TEMPORARY POWER AND SERVICES AS REQUIRED FOR THE IMPLEMENTATION OF ALL WORK WHILE MAINTAINING SERVICES TO PORTIONS OF BUILDING TO REMAIN OCCUPIED.
- DISCONNECT AND REMOVE EXISTING ELECTRICAL DEVICES, EQUIPMENT, LIGHTING, WIRING, ETC., AS REQUIRED TO FACILITATE DEMOLITION AND RECONSTRUCTION WORK. COORDINATE WITH GENERAL CONSTRUCTION. THE CONTRACTOR IS HEREBY ADVISED THAT THESE DRAWINGS MAY NOT INDICATE ALL EXISTING WIRING AND/OR EQUIPMENT WHICH MUST BE REMOVED. REMOVED, RELOCATED, ETC., TO ACCOMMODATE DEMOLITION AND RECONSTRUCTION WORK IN THE EXISTING BUILDING.
- SCHEDULE ALL WORK TO AVOID DOWNTIME AND INCONVENIENCE TO OWNER. OWNER'S EXISTING FACILITY SHALL REMAIN IN OPERATION AT ALL TIMES, INCLUDING FIA AND OTHER SPECIAL SYSTEMS. ELECTRICAL POWER DISTRIBUTION, ETC., ALL REQUIRED SHUTDOWN OF EXISTING FACILITY UTILITIES SHALL BE SCHEDULED WITH OWNER'S OPERATING PERSONNEL.
- ALL EXISTING EQUIPMENT SHALL REMAIN PROPERTY OF THE OWNER AND OWNER SHALL DETERMINE IF CONTRACTOR IS TO STORE EQUIPMENT ON SITE AT OWNER SELECTED LOCATION OR IF CONTRACTOR IS TO ABANDON OR REMOVE EQUIPMENT FROM SITE.
- CONTRACTOR TO FIELD VERIFY IF EXISTING ASBESTOS WILL BE ENCOUNTERED PRIOR TO STARTING ANY WORK. IF ASBESTOS IS PRESENT, THE OWNER WILL PROVIDE FOR THE REMOVAL OF ANY MATERIAL CONTAINING ASBESTOS. SEE SPECIFICATIONS FOR FURTHER REQUIREMENTS.
- ANY HIDDEN CONDITIONS IDENTIFIED THROUGH THE COURSE OF CONSTRUCTION SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE ARCHITECT IN WRITTEN FORM FOR REVIEW AND DIRECTION. FAILURE TO DO SO SHALL MAKE THE CONTRACTOR RESPONSIBLE FOR ANY AND ALL REQUIRED CHANGES AND COSTS TO CORRECT SAID HIDDEN CONDITION.
- EXISTING INFORMATION IDENTIFIED ON THE CONTRACT DOCUMENTS IS SCHEMATIC ONLY AS AN AID TO THE CONTRACTOR. CONTRACTOR SHALL BE RESPONSIBLE TO PROPERLY ADDRESS ALL EXISTING CONDITIONS FOR A COMPLETE AND PROPER INSTALLATION OF NEW SYSTEMS. ALL EXISTING EQUIPMENT NOT IDENTIFIED SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT/ENGINEER FOR REVIEW AS TO WHETHER THE EQUIPMENT SHALL REMAIN AND BE RECONNECTED TO THE NEW SERVICES, BE RELOCATED, BE ABANDONED, ETC.
- DISCONNECT AND REMOVE EXISTING LIGHTING FIXTURES AND ANY OTHER CEILING DEVICES AS REQUIRED FOR INSTALLATION OF WORK (ALL TRADES). REINSTALL UPON COMPLETION OF WORK. REPAIR ALL DAMAGED FIXTURES AND DEVICES.
- VISIT SITE PRIOR TO BIDDING TO DETERMINE ALL FIELD CONDITIONS. VERIFY ALL EXISTING INTERIOR AND EXTERIOR ELECTRICAL SYSTEMS TO VERIFY QUANTITIES AND LOCATIONS OF EXISTING SYSTEMS TO DETERMINE FULL EXTENT OF DEMOLITION WORK.
- ALL EXISTING LIGHTING FIXTURES, ELECTRICAL DEVICES, CONDUIT, ETC., SHALL BE REMOVED AS NOTED ON DRAWINGS AND AS REQUIRED TO MEET NEW SCOPE OF WORK. ALL EXISTING ELECTRICAL EQUIPMENT SHALL REMAIN PROPERTY OF THE OWNER AND SHALL BE PROPERLY STORED ON SITE, OR DESIGNATED TO BE ABANDONED AND REMOVED FROM SITE AS DIRECTED BY OWNER.
- EXISTING ELECTRICAL DEVICES (RECEPTACLES, SWITCHES, OUTLET BOXES, CONDUIT, ETC.) WITHIN WALLS TO BE REMOVED SHALL BE DISCONNECTED COMPLETELY. REROUTE CIRCUITRY AS REQUIRED TO MAINTAIN CIRCUIT CONTINUITY FOR ALL REMAINING DEVICES/EQUIPMENT. VERIFY EXACT CONDITIONS AND QUANTITIES IN FIELD.
- PATCH ALL EXISTING CEILING, FLOOR, WALL AND ROOF OPENINGS AND SURROUNDING FINISHES RESULTING FROM REMOVAL OF EXISTING MATERIALS AND EQUIPMENT SO THAT FINISH WILL MATCH EXISTING IN SURROUNDING AREAS.

SHEET NOTES

- REMOVE EXISTING MECHANICAL EQUIPMENT ELECTRICAL CONNECTION AND ALL ASSOCIATED WIRING AND EXPOSED CONDUIT BACK TO SOURCE. GRIND ANY CONDUIT LEFT WITHIN THE FLOOR BELOW THE FLOOR LINE. INFILL WITH CONCRETE, AND FINISH FLUSH WITH FLOOR. COMPLETE AS REQUIRED. ALL WIRING SHALL BE REMOVED. LABEL EXISTING CIRCUIT BREAKER FOR USE WITH NEW EQUIPMENT IN THIS SPACE. REFER TO THE NEW POWER PLANS FOR ADDITIONAL INFORMATION.
- REMOVE AND REINSTALL EXISTING LIGHTING, PROJECTORS, WIRELESS TERMINALS, OCCUPANCY SENSORS, AND OTHER CEILING MOUNTED DEVICES IN THIS SPACE AS REQUIRED FOR THE INSTALLATION OF THE NEW DUCTWORK, GRILLES, AND BULKHEAD. THE EXISTING LIGHTING LAYOUT SHALL BE MODIFIED AS REQUIRED FOR THE NEW BULKHEAD. COORDINATE LIGHTING LOCATIONS WITH NEW GRILLES IN FIELD. COMPLETE AS REQUIRED.
- EXISTING MECHANICAL EQUIPMENT TO REMAIN.
- DISCONNECT AND REMOVE EXISTING EXHAUST FAN AND RELATED CIRCUITRY BACK TO NEAREST JUNCTION BOX. COMPLETE AS REQUIRED. RETAIN ALL ASSOCIATED WIRING, CONDUIT, ETC. FOR USE WITH NEW EXHAUST FAN ON THE ELECTRICAL POWER PLAN.
- REFER TO THE NEW PLANS FOR THE NEW LOCATION OF UNIT VENTILATOR. ANY EXISTING CONDUIT, WIRING, ETC. IN THE NEW LOCATION (INTERIOR OR EXTERIOR) SHALL BE MAINTAINED. ROUTE CONDUIT THROUGH, AROUND, OR ABOVE THE UNIT VENTILATOR AS REQUIRED TO MAINTAIN EXISTING CIRCUIT CONTINUITY. ANY DEVICES IN CONFLICT WITH THE NEW LOCATIONS SHALL BE REMOVED AND RELOCATED TO THE SIDE OF THE UNIT. VERIFY THE FINAL LOCATION OF ANY DEVICES IN FIELD.
- REMOVE AND RELOCATE LIGHT FIXTURES ALONG THE WALL WITH THE NEW VUV. PRIOR TO REMOVAL, COORDINATE WITH THE NEW SOFFIT LOCATION TO DETERMINE IF THE FIXTURES ARE IN CONFLICT WITH THE BULKHEAD. PROVIDE A LIST OF SPACES WHERE THE BULKHEAD AND FIXTURES ARE NOT IN CONFLICT TO THE ARCHITECT/ENGINEER FOR REVIEW PRIOR TO PROCEEDING.

GENERAL NOTES

- REFER TO THE ARCHITECTURAL RCP FOR FINAL CONFIRMATION OF CEILING WORK SCOPE. ROOMS ARE TAGGED ON THIS SHEET (SEE SHEET NOTE 2") FOR CONVENIENCE, BUT FINAL SCOPE SHALL BE VERIFIED WITH THE ARCHITECTURAL RCP.
- FOR EACH TC PANEL, DISCONNECT EXISTING TC PANEL, DATA, AND POWER AS REQUIRED FOR INSTALLATION OF NEW REPLACEMENT TC PANEL. RECONNECT POWER AND DATA TO NEW TC PANEL, COMPLETE AS REQUIRED. REFER TO SHEETS M-106 & M-107 FOR TC PANEL LOCATIONS IN THE SR HIGH SCHOOL WING OF THE BUILDING.



GIBRALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN



PROJECT:

**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919



KEY PLAN



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

9102 N. Meridian St., Ste. 300
Indianapolis, IN 46260
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone 317.580.5777 Fax 317.580.5778

PROJECT

25-176

DATE

07/20/26

COORDINATED BY


RH

DRAWN BY

BR/MH

CHECKED BY

DJ



COPYRIGHT NOTICE:

THE CONCEPT, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK	DATE	ISSUED FOR
AD-01	07/31/26	ADDENDUM 01
AD-02	08/07/26	ADDENDUM 02

DRAWING

UNIT "B" FIRST FLOOR
ELECTRICAL DEMOLITION PLAN

PROJECT

OAK HILL JR HS MECHANICAL
IMPROVEMENTS


© GIBRALTAR
DESIGN

SHEET

B

ED102

8/6/2026 5:52:41 PM
Autodesk Docs://2504055 Oak Hill SC - 2026 Construction Projects/MEG_Oak Hill - High School & General_MEER-25.rvt




SHEET NOTES

- REMOVE AND REINSTALL ALL EXISTING CEILING MOUNTED DEVICES, INCLUDING BUT NOT LIMITED TO, LUMINAIRES, FIRE ALARM DEVICES, SPEAKERS, PROJECTORS, WIRELESS TERMINALS, AND SENSORS, AS REQUIRED TO INSTALL NEW DUCTWORK AND CEILING GRID. PROVIDE ALL NECESSARY CONDUIT, WIRING, ETC. TO MAINTAIN EXISTING CONNECTIONS FOR ALL DEVICES TO REMAIN.
- PROVIDE NEW OCCUPANCY SENSORS IN THIS SPACE AS SHOWN. VERIFY THE EXISTING SWITCHING CONFIGURATION AND DIMMING CAPABILITIES IN THIS SPACE PRIOR TO ORDERING THE NEW EQUIPMENT. REFER TO THE OCCUPANCY SENSOR DETAILS FOR ADDITIONAL INFORMATION.

GENERAL NOTES

- REFER TO THE ARCHITECTURAL RCP FOR FINAL CONFIRMATION OF CEILING WORK SCOPE. ROOMS ARE TAGGED ON THIS SHEET (SEE SHEET NOTE 1") FOR CONVENIENCE, BUT FINAL SCOPE SHALL BE VERIFIED WITH THE ARCHITECTURAL RCP.

1 UNIT "A" FIRST FLOOR ELECTRICAL LIGHTING CEILING PLAN
EL101 1/8" = 1'-0"



GIBRALTAR
DESIGN


ARCHITECTURE • ENGINEERING • INTERIOR DESIGN



PROJECT:

**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919



KEY PLAN



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN

9102 N. Meridian St., Ste. 300
Indianapolis, IN 46260
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone 317.580.5777 Fax 317.580.5778

PROJECT

25-176

DATE

07/20/26

COORDINATED BY


RH

DRAWN BY

BR/MH

CHECKED BY

DJ



COPYRIGHT NOTICE:

THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS

MARK	DATE	ISSUED FOR
AD-01	07/31/26	ADDENDUM 01
AD-02	08/07/26	ADDENDUM 02

DRAWING

UNIT "A" FIRST FLOOR
ELECTRICAL LIGHTING PLAN

PROJECT

OAK HILL JR HS MECHANICAL
IMPROVEMENTS


© GIBRALTAR
DESIGN

SHEET

A

EL101

Copyright © 2026 Millies Engineering Group



SHEET NOTES

1. REMOVE AND REINSTALL ALL EXISTING CEILING MOUNTED DEVICES, INCLUDING BUT NOT LIMITED TO, LUMINAIRES, FIRE ALARM DEVICES, SPEAKERS, PROJECTORS, WIRELESS TERMINALS, AND SENSORS, AS REQUIRED TO INSTALL NEW DUCTWORK AND CEILING GRID. PROVIDE ALL NECESSARY CONDUIT, WIRING, ETC. TO MAINTAIN EXISTING CONNECTIONS FOR ALL DEVICES TO REMAIN, COMPLETE AS REQUIRED.
2. PROVIDE NEW OCCUPANCY SENSORS IN THIS SPACE AS SHOWN. VERIFY THE EXISTING SWITCHING CONFIGURATION AND DIMMING CAPABILITIES IN THIS SPACE PRIOR TO ORDERING THE NEW EQUIPMENT. REFER TO THE OCCUPANCY SENSOR DETAILS FOR ADDITIONAL INFORMATION.

GENERAL NOTES


1. REFER TO THE ARCHITECTURAL RCP FOR FINAL CONFIRMATION OF CEILING WORK SCOPE. ROOMS ARE TAGGED ON THIS SHEET (SEE SHEET NOTE "1") FOR CONVENIENCE, BUT FINAL SCOPE SHALL BE VERIFIED WITH THE ARCHITECTURAL RCP.

GIBRALTAR
DESIGN
ARCHITECTURE • ENGINEERING • INTERIOR DESIGN

MILLIES
ENGINEERING GROUP
©2024 024400
www.milliesengineeringgroup.com

PROJECT:
**OAK HILL JR HS
MECHANICAL
IMPROVEMENTS**

OAK HILL UNITED SCHOOL
CORPORATION
7760 DELPHI PIKE,
CONVERSE, IN, 46919



100% CONSTRUCTION
DOCUMENTS

GIBRALTAR DESIGN
9102 N. Meridian St., Ste. 300
Indianapolis, IN 46260
Homepage: www.GibraltarDesign.com
Email: info@GibraltarDesign.com
Phone: 317.580.5777 Fax: 317.580.5778

PROJECT
25-176
DATE
07/20/26
COORDINATED BY
RH
DRAWN BY
BR/MH
CHECKED BY
DJ



COPYRIGHT NOTICE:
THE CONCEPTS, DESIGN, PLANS, DETAILS, ETC. SHOWN ON THIS DOCUMENT ARE THE PROPERTY OF GIBRALTAR DESIGN AND WERE CREATED FOR USE ON THIS SPECIFIC PROJECT. NONE OF THIS INFORMATION SHALL BE USED BY ANY PERSON OR FIRM FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF GIBRALTAR DESIGN. THE OWNER MAY RETAIN COPIES FOR INFORMATION AND REFERENCE IN CONNECTION ONLY WITH THIS PROJECT.

REVISIONS	
MARK	DATE
AD-02	08/07/26
ADDENDUM 02	

DRAWING
**UNIT "B" FIRST FLOOR
ELECTRICAL LIGHTING PLAN**

PROJECT
**OAK HILL JR HS MECHANICAL
IMPROVEMENTS**

© GIBRALTAR
DESIGN
B

SHEET
EL102

UNIT "B" FIRST FLOOR ELECTRICAL LIGHTING CEILING PLAN
1
EL102 1/8" = 1'-0"

